

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

*KLAM
1220*

State Well No. 355/7E-9ba
State Permit No. _____

(1) OWNER:

Name Lee Carlson
Address General Delivery
Chiloquin Ore. 97627

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
 Jetted
 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded
6" Diam. from 1 ft. to -79 ft. Gage .250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? Yes No.

Type of perforator used _____

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name _____
Type _____ Model No. _____
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

a pump test made? Yes No If yes, by whom?
Yield: 30 gal./min. with 28 ft. drawdown after 1 hrs.
" " " " "
" " " " "
Peller test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water 53° Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used cement
Well sealed from land surface to 78 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 22 sacks
How was cement grout placed? pumped from the bottom up.

Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Well gravel packed? Yes No Size of gravel: _____
Well placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Klamath Driller's well number _____
NE 1/4 NW 1/4 Section 9 T. 35S R. 7E W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 310 ft.
Static level 112 ft. below land surface. Date 10-31-80
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 6"

Depth drilled 321 ft. Depth of completed well 320 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
top soil	0	4	
yellow clay and boulders	4	10	
yellow clay	10	25	
yellow clay and boulders	25	53	
hard brown claystone	53	62	
sand brown clay and gravel	62	72	
blue claystone (hard)	72	220	
blue claystone (hard) and sandstone	220	310	
black sand stone	310	320	112
lose black sand	320	320	112

RECEIVED

DEC 1 1980

WATER RESOURCES DEPT
SALEM, OREGON

Work started 10-29 1980 Completed 10-31 1980
Date well drilling machine moved off of well 10-31 1980

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Roger W. Chancellor Date 11-26, 1980
(Drilling Machine Operator)

Drilling Machine Operator's License No. 1064

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Roger Chancellor Well Drilling
(Person, firm or corporation) (Type or print)

Address 5233 Valley View Ln. K. Falls 97601

[Signed] Roger W. Chancellor
(Water Well Contractor)

Contractor's License No. 693 Date 11-26, 1980