

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97301 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print) Do not write above this line

State Well No. 38/11-77 #

State Permit No. G-4728

well #1 KLAM 12283 data

RECEIVED NOV 6 1968

(1) OWNER: STATE ENGINEER SALEM, OREGON

Name WEYERHAEUSER CO. Address PO Box 9 KLAMATH FALLS, ORE.

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [X] Cable [] Driven [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

(5) CASING INSTALLED:

Threaded [] Welded [X] 16" Diam. from 76" ft. to 40 ft. Gage 250

PERFORATIONS:

Perforated? [] Yes [X] No

Type of perforator used

Table with columns: Size of perforations, in. by, in. Rows for perforations from ft. to ft. with Gage.

(7) SCREENS:

Well screen installed? [] Yes [X] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 141 ft. below land surface Date 10/21/68 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [X] Yes [] No If yes, by whom? VALLEY PUMP

Table with columns: gal./min. with, ft. drawdown after, hrs. Rows for test results.

Bailer test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m. Date

Temperature of water 56 Was a chemical analysis made? [] Yes [X] No

(10) CONSTRUCTION:

Well seal—Material used CEMENT GROUT

Depth of seal 39 ft.

Diameter of well bore to bottom of seal 19 in.

Were any loose strata cemented off? [] Yes [X] No Depth

Was a drive shoe used? [X] Yes [] No

Did any strata contain unusable water? [] Yes [X] No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? [] Yes [X] No Size of gravel:

Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County KLAMATH Driller's well number SE 1/4 NE 1/4 Section 7 T. 38S R. 11E W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 15

Depth drilled 325 ft. Depth of completed well 312 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows for SAND, YELLOW CHALK, GREEN SHALE, BLACK SANDSTONE, BROWN SHALE, Red SHALE, Red LAVA, BROWN LAVA, IRONITE (HARD), BLACK BASALT, BLACK LAVA CAVING BAD.

Work started 10/9/68 19 Completed 10/21/68 19

Date well drilling machine moved off of well 10/21/68 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] E.E. Storey Date 11/2/68 19 (Drilling Machine Operator)

Drilling Machine Operator's License No. 115

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME E.E. STOREY (Person, firm or corporation) (Type or print)

Address 3831 Hope Klamath Falls, Ore.

[Signed] E.E. Storey (Water Well Contractor)

Contractor's License No. 74 Date 11/2/68 19