WATER WELL REPORT STATE OF OREGON

RECEIVEDELAM 12570

MAY 18 1981

State Well No.	395/98-900
Blace Well 1101	

	**	
State Permit No.	***************************************	i

WATER RESOURCES DEPT SALEM OPECON

SALEM, OREGO	<u> </u>	
1) OWNER:	(10) LOCATION OF WELL:	
Name KLAMATA LIVESTOCK AVETIONS Address NOVI LAVERNEATE	County KLAMATh Driller's well n	
Address Hall LANERNE LIE	NE 45W 4 Section 9 T.325	R. 9 E W.M.
City RLAMATH FALLS State PRE	Tax Lot # Lot Blk	Subdivision
2) TYPE OF WORK (check):	Address at well location:	
New Well		
f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	IJ.
	Depth at which water was first found / 98	ft.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level 8 ft. below lar	nd surface. Date 4/9/8/
Rotary Air Driven Domestic Mindustrial Municipal	Artesian pressure lbs. per	square inch. Date
Rotary Mud Dug Irrigation Test Well Other Bored D Thermal: Withdrawal Reinjection	(12) WELL LOG: Diameter of well below co	asing
	Depth drilled 330 ft. Depth of or	ompleted well 4.30 ft.
(5) CASING INSTALLED: Steel Plastic Threaded Welded	Formation: Describe color, texture, grain size and struc	ture of materials; and show
1 Diam from T 1 ft. to 19 ft. Gauge 250	thickness and nature of each stratum and aquifer penets for each change of formation. Report each change in po	rated, with at least one entry
"Diam from ft. to ft. Gauge	and indicate principal water-bearing strata.	ADDITION OF DOUGHO THAT I TO THE
LINER INSTALLED:	MATERIAL	From To SWL
		0 14
	BROWN SANDSTONE	14 23
(6) PERFORATIONS: Perforated? Yes No	BROWN SANDSTONE	23 48
Type of perforator used		110 124
Size of perforations in. by in.	BARK BRUNN SANGE	134 198
perforations from ft. to ft.	DARK BLUE SANDSTONE	198 204
perforations from ft. to ft.	BKACK SAND	204 230
perforations from ft. to ft.	BLUESHALE	207 200
(7) SCREENS: Well screen installed? Yes		
Manufacturer's Name		
TypeModel No.		
Diam. Slot Size Set from ft. to ft.		
Diam. Slot Size Set from ft. to ft.		
Drawdown is amount water level is lowered	DECEIVED	
(8) WELL TESTS: below static level	KEOFIAFD	
Was a pump test made? ☐ Yes 💆 No If yes, by whom?	JUN 2 2 1981	
d: gal/min. with ft. drawdown after hrs.		
n n	WATER RESOURCES DEPT	
Air test 35 gal./min. with drill stem at 830 ft. hrs.	BALEM, OREGON	
Bailer test gal./min. with ft. drawdown after hrs.		
Artesian flow g.p.m.		
Depth artesian flow encountered ft.	Work started 4/9/8/ 19 Complete	d 4/9/8/ 19
(9) CONSTRUCTION: Special standards: Yes \(\text{No.} \text{No.} \(\text{X} \)	Date well drilling magnine moved off of well	4//0/8/ 19
Well seal—Material used CEMENT	Drilling Machine Operator's Certification:	
Well sealed from land surface toft.	This well was constructed under my direct s	upervision. Materials used
Diameter of well bore to bottom of seal	and information reported above are true to my b	est knowledge and belief.
Diameter of well bore below seal	[Signed]	Date 19.0/
Number of sacks of cement used in well seal 5sacks	Drilling Machine Operator's License No.	18
How was cement grout placed? DUMDEL	n_	
	Water Well Contractor's Certification:	
······	This well was drilled under my jurisdiction the best of my knowledge and belief.	and this report is true to
Was pump installed?	Name E E STOREY - Southe	LLDRILLING INC
Was a drive shoe used? Yes No Plugs Size: location ft.	(Person, firm or corporation)	(Type or print)
Did any strata contain unusable water?	Address 3847 Hg/8 C	LIUNE
Type of Water? depth of strata	[Signed]	
Method of sealing strata off	(Water Well Contract	
Was well gravel packed? Yes No Size of gravel:	Contractor's License No Date	<i>!!4. f. 5. f</i> , 19
Gravel placed from		

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report

are to be filed with the

within 30 days from the date of well completion.

SP*12658-690 '