

RECEIVED

MAR 21 1963

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the
STATE ENGINEER, SALEM 10, OREGON
within 30 days from the date
of well completion.

STATE ENGINEER OF OREGON
SALEM, OREGON
(Please type or print)

State Well No. 39/10-18D
State Permit No. _____

(1) OWNER:

Name Eternal Hills Memorial Gardens
Address Rt. 2 Box 531
Klamath Falls, Oregon

(2) LOCATION OF WELL:

County Klamath Driller's well number 2
N.W. 1/4 N.W. 1/4 Section 18 T. 39 S. R. 10 E. W.M.
Bearing and distance from section or subdivision corner _____

(3) TYPE OF WORK (check):

Well Deepening Reconditioning Abandon
Abandonment, describe material and procedure in Item 12. _____

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(6) CASING INSTALLED:

16" Diam. from 0 ft. to 20 ft. Threaded Welded Gage 1"
12" Diam. from 0 ft. to 170 ft. Gage 3/16"
_____ " Diam. from _____ ft. to _____ ft. Gage _____

(7) PERFORATIONS:

Perforated? Yes No
Type of perforator used factory
Size of perforations 3/16 in. by 1 1/2 in.
perforations from 80 ft. to 167 ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

(8) SCREENS:

Well screen installed Yes No
Manufacturer's Name _____ Model No. _____
_____ in. Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Portland Cement
Depth of seal 20 ft. Was a packer used? no
Diameter of well bore to bottom of seal 20 in.
Were any loose strata cemented off? Yes No Depth 20'
Was a drive shoe used? Yes No
Was well gravel packed? Yes No Size of gravel: 1/4 to 3/4
Gravel placed from 0 ft. to 170 ft.
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(10) WATER LEVELS:

Static level 35 ft. below land surface Date 3/13/63
Artesian pressure _____ lbs. per square inch Date _____

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level interstate Pump Co.
Was a pump test made? Yes No If yes, by whom? Pump Co.
Yield: 1000 gal./min. with 69 ft. drawdown after 6 hrs.
" " " " " "
" " " " " "
Baller test gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow g.p.m. Date _____
Temperature of water 56 Was a chemical analysis made? Yes No

(12) WELL LOG:

Diameter of well below casing 12'
Depth drilled 170 ft. Depth of completed well 164 ft.

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
dobby top soil	0	2 1/2
packed sand	2 1/2	6
yellow clay	6	19
brown loose sand	19	23
clay and sand	23	35
sand and clay	35	57
sandstone	57	58
blue clay and sand	58	92
black sand and pea gravel	92	97
sandstone	97	102
quick sand & packed sand in layers 10% pea gravel	102	135
quick sand & big gravel	135	170

Work started 3/4 1963 Completed 3/13 1963
Date well drilling machine moved off of well 3/15 1963

(13) PUMP:

Manufacturer's Name _____
Type: _____ H.P. _____

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME John A. Van Meter
(Person, firm or corporation) (Type or print)

Address Box 204 Malin, Oregon

Drilling Machine Operator's License No. 118

[Signed] John A. Van Meter
(Water Well Contractor)

Contractor's License No. 170 Date 3/18 1963