NOTICE TO WATER WELL COTRECTE IN ELAM 13315

The original and first of this report are to filed with the MAR 16 1972

MAR 16 1972

STATE OF OREGON 13315

State Well No. 39/10-32 Companies of well completion. SALEM OREGON on twrite above this line)

State Permit No.

	0 6510		
(1) OWNER:	(10) LOCATION OF WELL:		
Name Geo, R. STACY Co.	County KLAMATh Driller's well number		
Address PO Roy 853	NE 14 NE 14 Section 32 T. 395 R. 10 E W.M.		
KLAMATH FALLS, ORE.	Bearing and distance from section or subdivision corner		
(2) TYPE OF WORK (check):	Bearing and distance from section of subdivision corner		
New Well Deepening Reconditioning Abandon			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	District Company		
Rotary Driven Domestic Industrial Municipal	الراسر	8 70 ft.	
Cable Dug		surface. Date 2/24/7	
Dug Dored Imagazion Test well Outer	Artesian pressure lbs. per square inch. Date		
* , CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing 2 70.807		
" Diam, from ft. to ft, Gage	Depth drilled 916 ft. Depth of completed well 916 ft.		
10 4 " Diam. from + 2 ft. to 3 8 ft. Gage 250	Formation: Describe color, texture, grain size and structure of materials;		
	and show thickness and nature of each stratum and aquifer penetrated,		
PERFORATIONS: Perforated? Tyes W No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.		
PERFORATIONS: Perforated? Yes No.	MATERIAL		
Size of perforations in. by in.	GREEN SHALE	0 24	
perforations from	GRAV STAKE BASALT	24 84/	
perforations from	BROKEN BLACK BASALT	898 916 WB	
perforations from ft. to ft.	DIIII LIV DENCII NACII N		
(7) SCREENS: Well screen installed? Yes No			
Manufacturer's Name			
Type Model No	•		
Diam Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? Yes \(\sigma\) No If yes, by whom? VALLEY POMP			
Yield: gal./min. with ft. drawdown after / hrs.			
" " "			
Bailer test gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m.			
perature of water Depth artesian flow encountered ft.	Work started ////72 19 Complete	ed 2/14/12/19	
(9) CONSTRUCTION:	Date well drilling machine moved off of well	2/24/1219	
Well seal-Material used CENIENT	Drilling Machine Operator's Certification:	/ '/	
Well sealed from land surface to 35 ft.	This well was constructed under my		
Diameter of well bore to bottom of sealin.	Materials used and information reported best knowledge and belief.	above are true to my	
Diameter of well bore below sealin.	[Signed] Juman Wonstoate 3/15/22		
Number of sacks of cement used in well sealsacks	(Drilling Machine Operator)		
Number of sacks of bentonite used in well sealsacks	Drilling Machine Operator's License No. 11.0		
Brand name of bentonite	Nicker Well Contracted Contidentian		
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:		
of water	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used? Yes 🗆 No Plugs Size: location ft.	Name EESTORCY		
Did any strata contain unusable water? Yes	(Person, firm or corporation) (Type or print)		
Type of water? depth of strata	Address 383/ HOPE / FALLS		
Method of sealing strata off	[Signed] & Slaver		
Was well gravel packed? Yes No Size of gravel:	(Water Wall Contra	. / /	
Gravel placed from ft. to ft.	Contractor's License No Date	15/22, 19	