NOTICE TO WATER WELL CONTRACTOR The original and first copy

of this report are to be filed with the

(1) OWNER:

New Well 🛛

Rotary

Cable

Dug

(3) TYPE OF WELL:

Driven 🗆

Jetted 🔲

PERFORATIONS:

Type of perforator used Size of perforations

(7) SCREENS:

(8) WELL TESTS:

(9) CONSTRUCTION:

Well seal-Material used Cement Well sealed from land surface to Diameter of well bore to bottom of seal

Diameter of well bore below seal

Number of sacks of cement used in well seal Number of sacks of bentonite used in well seal Brand name of bentonite Number of pounds of bentonite per 100 gallons of water

Did any strata contain unusable water? 🗌 Yes 🖔 No

Gravel placed from _____ft. to ____

Σield:

Bailer test

Type of water?

Method of sealing strata off

CASING INSTALLED:

..." Diam. from ft. to

___ perforations from _____ perforations from

perforations from

Diam. Slot size Set from Diam. ____Slot size ____Set from ___

Was a pump test made? X Yes No If yes, by whom?

_____ft. Gage

in. by

gal./min, with 100 ft. drawdown after

--- gal./min. with --- ft. drawdown after

10

depth of strata

Was a drive shoe used? 🗆 Yes 🏌 No Plugs Size: location

Was well gravel packed? Yes No Size of gravel:

g.p.m. mperature of water 6D Depth artesian flow encountered

Well screen installed? Yes X No

...... Model No.

Drawdown is amount water level is lowered below static level

10

Name Address KURM

Reconditioning [

(4) PROPOSED USE (check):

Domestic | Industrial | Municipal |

Irrigation Test Well Other

Perforated? Tyes Ino.

.... ft. to ft.

___ ft. to _____ ft.

.. ft. to

Mr & Mrs Eldon A Burgdorf

WATER WELL RESCRI

State Well No. 395/11/2 E-12da

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

Bonanza, Oregon (Ruredorf road (2) TYPE OF WORK (check):

Deepening [

If abandonment, describe material and procedure in Item 12.

(Please type or print)

(Do not write a

Abandon [7]

WATER RESOURCES DEPT.	No		
(10) LOCATION OF WELL:			
County Klamath Driller's well r	number		
		1	W.M.
Se 14 NE 14 Section 12 T. 1338 Bearing and distance from section or subdivis	<u> </u>	2 Annro	
Bearing and distance from section or subdivision for feet west and 2200 feet	South	of the	N E
Corner of S 12 T 39S R $11\frac{1}{2}$	DOUM	OT OHE	. 14 * 173 *
Corner of S 12 1)95 if 112			
(11) WATER LEVEL: Completed v	well.		
Depth at which water was first found 198	}		ft.
Static level 20 ft. below land	surface.	Date 5/1	.6/77
Artesian pressure lbs. per squa			
-			
(12) WELL LOG: from 198	to 410	**6'10	5/8 t
Depth drilled 410 ft. Depth of comp			ft.
1,20			
Formation: Describe color, texture, grain size and show thickness and nature of each strate with at least one entry for each change of form position of Static Water Level and indicate pri	um and a ation. Rep	quifer pe ort each o	netrated, change in
MATERIAL	From	То	swL
Top soil	10	1	
white chalk or clay	++	50	
brown clay	50	100	
yellow clay	100 1		
Sands tone	175	180	
	180		20
brown clay	198	210	
Black lava rock	210	220	
Brown red lava rock		315	20
Brown black lava broken Black lava with sand stone	220	321	_20
Broken black lava	3 717	المار	·
	321	410	20
water bearing (water bearing	المراد ا	710	20
	_		-
	-		
	-		
		7 ~ /2 0	
Work started April 27 1977 Comple	ete z k p x i	* 5/13	19 77
Date well drilling machine moved off of well	5/13		19 77
Drilling Machine Operator's Certification This well was constructed under m Materials used and information reported best knowledge and belief.	y direct d above	are true	e to my
[Signed] (Call to form Machine Operator)	Date)\ TQ	., 19. / /
Drilling Machine Operator's License No.	201		
Water Well Contractor's Certification:			
This well was drilled under my juris true to the best of my knowledge and be	elief.		eport is
Name Wilson Drilling Control (Person, firm or corporation) P.O. Box 136, Merrill	(T	ype or pri	nt)
Address	., U.E		
[Signed] Zoolte L 20 (Water Well Con	tractor)	<u></u>	