KLAM 13519

| VINAL VIGINAL AND EGE VEWATER WE | LL REPORT 39/12 - 7 N 11 (| 2-194 |
|---------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|
| | OREGON State Permit No | 0-108 |
| (1) OWNER: Name Address Bonanza Orcgon | (11) WELL TESTS: Drawdown is amount we lowered below static level. Was a pump test made? Yes ☐ No If yes, by whom Yield: /0 50 gal./min. with /6 ft. drawdown " " | PART REG |
| (2) LOCATION OF WELL: | " " " Bailer test gal./min. with ft. drawdown | a after hrs. |
| County Klamath Owner's number, if any— | Artesian flow g.p.m. Date | |
| 1/4 1/4 Section T. R. W.M. | Temperature of water Was a chemical analysis ma | de? 🗌 Yes 📜 No |
| Bearing and distance from section or subdivision corner 5. 63 42 F a distance of 9.75 ff from W 1/2 CAPPEN 1/2 F 1/1/1/1 | (12) WELL LOG: Diameter of well Depth drilled 25 ft. Depth of completed we formation: Describe by color, character, size of material show thickness of aquifers and the kind and nature of t stratum penetrated, with at least one entry for each character. | ell 257 ft. l and structure, and he material in each |
| | | FROM TO |
| | MATERIAL | A // A |
| TYPE OF WORK (check): | Moult formation | 149 957 |
| Mev Well Deepening ☐ Reconditioning ☐ Abandon ☐ If abandonment, describe material and procedure in Item 11. | - Lova tock | 193 25/ |
| (4) PROPOSED USE (check): (5) TYPE OF WELL: | | |
| Pomestic Industrial Municipal Rotary Driven Cable | | |
| fation A Test Well Other Dug Bored | | |
| (6) CASING INSTALLED: Threaded ☐ Welded ☐ ——————————————————————————————————— | | · |
| (7) PERFORATIONS: Perforated? Yes No Type of perforator used | | |
| SIZE of perforations in. by in. | | |
| perforations from ft. to ft. | | |
| perforations from ft. to ft. | | - |
| perforations fromft. toft. | | |
| perforations fromft. toft. | | |
| perforations fromft. toft. | | |
| (8) SCREENS: Well screen installed Yes No | | |
| ufacturer's Name | | |
| TypeModel No | 2 | |
| Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft. | Work started John 195/. Completed | 1957 |
| Diant, | | |
| CONSTRUCTION: | (13) PUMP: | |
| as well gravel packed? Yes No Size of gravel: | Manufacturer's Name | |
| Gravel placed from | Type: H.P | |
| Was a surface seal provided? Yes \(\Boxed{\text{No To what depth?}} \) Material used in seal— | Well Driller's Statement: | |
| Did any strata contain unusable water? Yes 🗆 No | This well was drilled under my jurisdiction true to the best of my knowledge and belief. | and this report is |
| Type of water? Depth of strata 2 3 | LI - +1 | |
| Method of sealing strata off Carner | NAME Person, firm, or corporation (Type or print) | |
| (10) WATER LEYELS: | / Address Sonoma Degon | |
| Static level ft. below land surface Date / Children | | |
| Artesian pressure / lbs. per square inch Date / | Driller's well number | <i>ţ</i> |
| Log Accepted by: | [Signed] What 7 Hotell | 4 |
| (Signey Date, 1967 | License No 64 (Well Driller) | 710/14 1058 |

(USE ADDITIONAL SHEETS IF NECESSARY)