WATER WELL REPORT STATE OF OREGON

KLAM 13976

RECEIVED

SEP1 1 1984

| tate Well No. | 395/7E-29de |
|----------------|-------------|
| date Well 140. | |

| State Permit No. | ++++++++++++++++++++++++++++++++++++++ |
|------------------|--|
|------------------|--|

WATER SEQUEC'S DEPT

| (1) OWNER: | (10) LOCATION OF WELL: | |
|---|--|---------------------------------|
| Name The Bill Scholtes Sportsman Park | County Klamath Driller's well | number |
| Address P.O. Box 596 | S.W. 4 S.E. 4 Section 29 T. 395 | |
| City Klamath Falls, State OR 97601 | Tax Lot # Lot Bik | Subdivision |
| Marks 1900 | Address at well location: none | |
| (2) TYPE OF WORK (check): | | |
| New Well Deepening □ Reconditioning □ Abandon □ | (11) WATER LEVEL: Completed w | ell. |
| If abandonment, describe material and procedure in Item 12. | Depth at which water was first found 174 | · |
| (3) TYPE OF WELL: (4) PROPOSED USE (check): | 4111. | and surface. Date 7/20004 |
| Rotary Air Driven Domestic M Industrial Municipal D | | er square inch. Date |
| Rotary Air Driven Domestic Industrial Municipal Robery Mud Dug Irrigation Test Well Other Domestic Withdrawal Reinjection | | * |
| d Bored Thermal: Withdrawal Reinjection | (12) WELL LOG: Diameter of well below 203 ft. Depth of | |
| (5) CASING INSTALLED: Steel Plastic | Depth drilled 203 ft. Depth of Formation: Describe color, texture, grain size and str | completed well 193 ft. |
| 5/8 "Diam from 1 ft. to 51 Threaded 20 250 | thickness and nature of each stratum and aquifer pene | trated, with at least one entry |
| Diam. from It. to | for each change of formation. Report each change in and indicate principal water-bearing strata. | position of Static Water Level |
| "Diam fromft. Gauge | | |
| LINER INSTALLED: | MATERIAL | From To SWL |
| ft. Gauge | Brn clay & small gravel | 0 5 |
| (6) PERFORATIONS: Perforated? □ Yes ♣ No | Grey boulders & clay | 5 8 |
| Type of perforator used | Grey clay | 8 14 |
| Size of perforations in. by in. | Layers of grey clay & grav. | .14 21 |
| perforations from ft. to ft. | Layers grey clay & coarse | 100 |
| perforations from ft. to ft. | sand | 21 47 |
| perforations from | Grey clay Dk brn clay | 47 54 |
| (7) SCREENS: Well screen installed? Yes No | Brn clay with brn & grey | 124 125 |
| Manufacturer's Name | lava | 125 135 |
| Type | Decomp. grey granite | 135 137 |
| Diam. Slot Size Set from ft. to ft. | Brn decomp. lava | 137 147 |
| Diam. Slot Size Set from ft. to ft. | Decomp. granite & brn clay | 147 154 |
| Drawdown is amount water level is lowered | Cemented coarse sand | 154 164 |
| (8) WELL TESTS: below static level | Hard brn_shale | 164 169 |
| a pump test made? Yes No If yes, by whom? | Coarse sand & brn clay | 169 172 |
| rield: XX gal/min, with 2 ft. drawdown after X hrs. | Broken grey lava | 172 193 |
| 11 n n | | |
| Air test gal/min, with drill stem at ft. hrs. | | |
| Bailer test 14 gal./min. with 2 ft. drawdown after 1 hrs. | ·-· | |
| esian flow g.p.m. | | |
| Temperature of water 560 Depth artesian flow encountered ft. | Work started 6/23/84 19 Complet | ed 7/30 1984 |
| (9) CONSTRUCTION: Special standards: Yes \(\) No \(\) | Date well drilling machine moved off of well 7/3(| 1984 |
| Well seal—Material used Portland cement | Drilling Machine Operator's Certification: | |
| Well sealed from land surface to | This well was constructed under my direct s | supervision. Materials used |
| Diameter of well bore to bottom of sealin. | and information reported above are true to my l | |
| Diameter of well bore below sealin. | [Signed] O. W | Date 8/28/, 19.84 |
| Number of sacks of cement used in well seal | Drilling Machine Operator's License No | _ |
| How was cement grout placed?pressuregrouted | | |
| mit : | Water Well Contractor's Certification: | |
| | This well was drilled under my jurisdiction the best of my knowledge and belief. | and this report is true to |
| Was pump installed? N.O | Name LAYNU & DeSoni | Y |
| Was a drive shoe used? | (Person, firm or corporation) | (Type or print) |
| Did any strata contain unusable water? \(\text{Y es} \) No | Address 3114 So Andman | VI-EXIIZ |
| Type of Water? depth of strata Method of cooling strata off | [Signed] Lanny & Desp | ain |
| Method of sealing strata off Was well gravel packed? Yes Size of gravel: Size of gravel: | (Water Well Contrac | ارو ورو |
| Gravel placed from | Contractor's License No. 42.8Date8/ | CO, 1909 |