NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER WELL REPORT

SALEM, OREGON 97310 within 30 days from the date

STATE OF OREGON (Please type or print)

State	Well	No.	40.19E-34.ad

State Permit No.

WATER RESOURCES DEPARTMENT, of well completion.

(Do not write above this line)

(1) OWNER:	(10) LOCATION OF WELL:		
Name LISKEY FARMS INC	County KLAMATH Driller's well number		
Address BEK 467	SE 4 NE 4 Section 34 T. 4CS	R. 9E	W.M.
MURRILL ONEGEN	Bearing and distance from section or subdivisio	n corner	
(2) TYPE OF WORK (check):			
New Well □ Deepening Reconditioning □ Abandon □			-
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	ell.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	8/	ft.
Rotary Driven Domestic Industrial Municipal	Static level 50 ft. below land st	ırface.Date	17/79
Cable Jetted	Artesian pressure Ibs. per square	inch. Date	,
		- A	7/
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well be	elow casing9	<u> 1/E</u>
"Diam. from ft. to ft. Gage	Depth drilled 455 ft. Depth of comple	ted well	S ft.
"Diam. from ft. to ft. Gage ft. Gage	Formation: Describe color, texture, grain size a		
	and show thickness and nature of each stratum with at least one entry for each change of format		
PERFORATIONS: Perforated? Tyes Two.	position of Static Water Level and indicate princ	cipal water-bearin	g strata.
Type of perforator used	MATERIAL	From To	SWL
Size of perforations in. by in.	BLUE GREY SHALE	181 290	wa.
perforations from ft. to ft.	GAEY SHALL	290 305	LUB
perforations from ft. to ft.	BLUE ENCY SHALE	3cs 455	<u> </u>
perforations fromft. toft.			
(7) SCREENS: Well screen installed? Yes			
Manufacturer's Name	.L. e+		
Type Model No			
Diam. Slot size Set from ft. to ft.			 . ,.
Diam Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	RECEIVED		
Was a pump test made? Yes No If yes, by whom?	JUI 101979		
Wield: gal./min. with ft. drawdown after hrs.	WATER RECOURSE		·
AICUFT SOO GEM ("360" "	WATER RESOURCES DEPT		
" "/-Houl"	SALEM, OREGON		
Bailer test gal./min. with ft. drawdown after hrs.	7.1.		
Artesian flow g.p.m.			
mperature of water 96 Depth artesian flow encountered ft.	Work started 6/6 19 9 Complete	a 6:17	1979
(A) CONCERNICATION	Date well drilling machine moved off of well	6/7	1979
(9) CONSTRUCTION:	Drilling Machine Operator's Certification:		
Well seal—Material used Well sealed from land surface toft.	This well was constructed under my	direct super	vision.
Well sealed from land surface to Diameter of well bore to bottom of seal	Materials used and information reported best knowledge and belief.	above are true	to my
Diameter of well berry below seal in.		Date 7/5	1929
Number of sacks of cement used in well sealsacks	(Drilling Machine Operator)	TIA	,
How was cement grout placed?	Drilling Machine Operator's License No	710	······································
· · · · · · · · · · · · · · · · · · ·	Water Well Contractor's Certification:		
- The state of the	This well was drilled under my jurisdi	ction and this r	eport is
	true to the best of my knowledge and beli	ief.	
Was a drive shoe used? Yes No Plugs Size: location ft.	Name E.E. STENEY & SON	WELL DAI	CUNG Tou
Did any strata contain unusable water? Yes No	(Person, firm or corporation)	(Type or prin	nt) '
Type of water? depth of strata	Address 3	9 7 1 1 1 1 1 1 1 1 1 1	
Method of sealing strata off	[Signed]		PARKARANANA PARKARANA
Was well gravel packed? Yes Size of gravel:	(Water Well Contra	actor	20
Gravel placed from ft. to ft.	Contractor's License No Date	7/>	, 194