

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print) WATER RESOURCES DEPT. SALEM, OREGON

RECEIVED

MAR 18 1977

State Well No.

40S/9E-34ab

State Permit No.

1401m
14570

(1) OWNER:

Name LISKEY FARMS, INC
Address Box 467
MERRILL ORE

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded

12 3/4" Diam. from _____ ft. to _____ ft. Gage _____
12 3/4" Diam. from 71 ft. to 41 ft. Gage 250
_____ " Diam. from _____ ft. to _____ ft. Gage _____

PERFORATIONS:

Perforated? Yes No.

Type of perforator used _____
Size of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name _____ Model No. _____
Type _____ Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom? INTERSTATE
Flow: 1100 gal./min. with 50 ft. drawdown after 4 hrs.
" " " " " "
" " " " " "
Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow _____ g.p.m.
Temperature of water 90 Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used CEMENT
Well sealed from land surface to 41 ft.
Diameter of well bore to bottom of seal 20 in.
Diameter of well bore below seal _____ in.
Number of sacks of cement used in well seal 67 sacks
Number of sacks of bentonite used in well seal _____ sacks
Brand name of bentonite _____
Number of pounds of bentonite per 100 gallons of water _____ lbs./100 gals.
Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County KLAMATH Driller's well number _____
SE 1/4 NE 1/4 Section 34 T. 40S R. 9E W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found _____ 145 ft.
Static level 17 ft. below land surface. Date 2/24/77
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 12
Depth drilled 261 ft. Depth of completed well 241 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
BROWN CLAY TOPSOIL	0	2	
YELLOW CLAY	2	13	
GRAY CLAY	13	45	
HARD GRAY SHALE	45	261	41B

Work started 2/22/77 19 Completed 2/24/77 19
Date well drilling machine moved off of well 2/24/77 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] _____ Date 3/14/77
(Drilling Machine Operator)
Drilling Machine Operator's License No. 656

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name E E STOREY & SON WELL DRILLING INC.
(Person, firm or corporation) (Type or print)
Address 3848 HOPE FALLS, ORE
[Signed] _____
(Water Well Contractor)
Contractor's License No. 601 Date 3/14/77, 19