WATER WELL REPORT STATE OF OREGON

RECE TED State Well No. 235/DE-3....

JUN 2 3 1982

State Permit No.	

WATER R	ESOURC	ES DEP	7
---------	---------------	--------	---

	DALEM, UNLIGON
1) OWNER:	(10) LOCATION OF WELL:
Name Don Yow	County Klamath Driller's well number
Address 52687 Day Rd.	4 4 Section 3 T. 23-S R. 10-E W.M.
City LaPine Ore 97739 State	Tax Lot # Lot 3 Blk 1 Subdivision Old
	Address at well location: Howard Ranch Est.
2) TYPE OF WORK (check):	Tand Coo do Well Totalou.
New Well 🕱 Deepening 🗆 Reconditioning 🗆 Abandon 🗆	
f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 18 ft.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level 12 ft. below land surface. Date 3-22-82
Rotary Air Driven Domestic Municipal Domestic Municipal Domestic Municipal Domestic	Artesian pressure Ibs. per square inch. Date
Rotary Mud Dug Irrigation Test Well Other	(12) WELL LOG: Diameter of well below casing
	Depth drilled 30 ft. Depth of completed well 28 ft.
(5) CASING INSTALLED: Steel Plastic M. Threaded Welded M.	Formation: Describe color, texture, grain size and structure of materials; and show
O 18 Threaded D 120 PVC	thickness and nature of each stratum and aquifer penetrated, with at least one entry
	for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
"Diam from ft. Gauge	and indicate principles water-bearing out and
LINER INSTALLED:	MATERIAL From To SWL
"Diam fromft. toft. Gauge	brown sandy top soil 0 2
(6) PERFORATIONS: Perforated? □ Yes ♣No	punice 2 4
(6) PERFORATIONS: Perforated? ☐ Yes ② No Type of perforator used	clay& gravel 4 18
Size of perforations in. by in.	gravel & sand (brown) 18 30 12
perforations from ft. to ft.	
perforations from	
perforations from ft. to ft.	
(7) SCREENS: Well screen installed? X Yes □ No Manufacturer's Name Homemade	
Type 1120 PVC Model No.	
Type 1120 PV0 Model No	
Diam	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? 🛮 Yes 🗆 No If yes, by whom? Driller	
10 gal./min. with 5 ft. drawdown after 6 hrs.	
" " "	
Air test gal./min. with drill stem at ft. hrs.	
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
erature of water 47° Depth artesian flow encountered ft.	2 22 80 2 20 28
a contract contract	Work started 3-22-02 19 Completed 3-22-20 19 Date well drilling machine moved off of well 3-22-82 19
Comont	
70	Drilling Machine Operator's Certification:
	This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore to bottom of seal 10in.	TOUTH WALL TO THE STATE OF THE
Diameter of well bore below seal	[Signed] Willing Machine Operator) Date 3-22-029
Number of sacks of cement used in well seal 6 sacks	Drilling Machine Operator's License No 1324
How was cement grout placed?	
Appendix B	Water Well Contractor's Certification:
Method C	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was pump installed?	Name Cronin Well Drilling Co.
Was a drive shoe used? ☐ Yes X No Plugs Size: location ft.	(Person, firm or corporation) (Type or print)
Did any strata contain unusable water? Yes No	Address 52594 Deer Field Dr. LaPine Ore 97739
Type of Water? depth of strata	[Signed] Clifford Wale Com-
Method of sealing strata off	(Water Well Contractor)
Was well gravel packed? ☐ Yes No Size of gravel:	Contractor's License No. 666 Date 3-22-82 ,19