

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED KLAMATH WATER WELL REPORT

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

STATE OF OREGON
DEC 4 1978 (Please type or print)

WATER RESOURCES DEPT. (Type above this line)
SALEM, OREGON

KLAMATH
14944

State Well No. 415/10E-9 ca
State Permit No.

(1) OWNER:

Name WENDELL MOORE
Address BOX 46
MERRILL, OREGON

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Cable Dug
Driven Jetted Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED: NONE

Threaded Welded
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? Yes No.

Type of perforator used
Size of perforations in. by in.
..... perforations from ft. to ft.
..... perforations from ft. to ft.
..... perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs.
AIRLIFT 900 GPM @ 365' 4 HRS

Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.

Temperature of water 85 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used
Well sealed from land surface to ft.
Diameter of well bore to bottom of seal NONE in.
Diameter of well bore below seal in.
Number of sacks of cement used in well seal sacks
How was cement grout placed?

Was a drive shoe used? Yes No Plugs Size: location ft.

Did any strata contain unusable water? Yes No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? Yes No Size of gravel:

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County KLAMATH Driller's well number
NE 1/4 SW 1/4 Section 9 T. 41S R. 10E W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 1096 ft.
Static level 62 1/2 ft. below land surface. Date 11/7/78
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 12"

Depth drilled 1200 ft. Depth of completed well 1200 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
BLACK BASALT	749	767	
HARD BLACK BASALT	767	821	
BROWN CLAY	821	946	
BLACK LAVA	946	953	
BLACK BASALT	953	991	
BLACK LAVA WITH STREAKS	991	1090	
BLUE CLAY			
BLACK BASALT	1090	1093	
BLACK SHALE	1093	1096	
BLACK BASALT, HARD WITH BROKEN STREAKS	1096	1120	WB
BROWN BASALT WITH STREAKS OF PINK CLAY	1120	1140	
HARD BLACK BASALT	1140	1156	
STICKY GREY CLAY	1156	1200	
749-1200 7 7/8" HOLE			

Work started 10/20 1978 Completed 11/7 1978

Date well drilling machine moved off of well 11/7 1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] David M. Storey Date 12/1, 1978
(Drilling Machine Operator)

Drilling Machine Operator's License No. 656

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name E.E. STOREY & SON WELL DRILLING, INC
(Person, firm or corporation) (Type or print)

Address 3847 HOPE ST. KLAMATH FALLS

[Signed] David M. Storey
(Water Well Contractor)

Contractor's License No. 601 Date 12/1, 1978