


35/10-21E



E. E. STOREY

Well Drilling

TUxedo 4-3990

4237 Summers Lane
KLAMATH FALLS, OREGON

THEODORE CRUME
BOX 382
SPRAGUE RIVER, OREGON

JUN 10 1960
STATE ENGINEER
WELL DRILLING

Started 5/31/60

Finished 10/10/60

LOG

0	-	4	top soil
6	-	80	gravel and sand
6	-	18	yellow clay
18	-	35	green clay
35	-	85	blue green clay
85	-	125	blue shale
125	-	147	blue green shale
147	-	153	gray basalt
153	-	300	gray shale
300	-	335	gray basalt
335	-	399	gray shale
399	-	415	gray basalt
415	-	455	green shale
455	-	715	gray basalt
715	-	755	black basalt
755	-	760	blue shale
760	-	765	black basalt
765	-	767	ashes
767	-	773	black basalt
773	-	785	blue shale
785	-	796	gray basalt
796	-	800	gray shale
800	-	805	lava ashes
805	-	820	black basalt
820	-	830	blue shale
830	-	835	brown cinders
835	-	915	black basalt
915	-	920	blue shale
920	-	925	black basalt

Static water level 63'
Pumped 2,700 GPM from 114'
40' casing 18" OD x 1/2 wall with rolled shoe 3/4 x 6
Temperature 60 degrees
Cut size of well from 18 to 16 at 400' - 16 to 12 at 697'