## NOTICE TO WATER WELL CONTRACTOR | V | KLAM 15111 The original and first copy of this teport are to be filed with the WATER WELL REPO WATER RESOURCES DEPARTMENAR 271980 WATER WELL REPORT SALEM, OREGON 97310

LIAM State Well No. 415/12E -30 db

within 30 days from the date of well completion.

(Please type or print) (Do not write above this line)

State Permit No. .....

(1) OWNER: Name Warren Haught	(10) LOCATION OF WELL:  County Klamath Driller's well n	umber		
Address Malin , Oregon	N. W. 4 S.E. 4 Section 30 T. 41S R. 12E W.M.			
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivis	ion corne	r	
New WelkX Deepening ☐ Reconditioning ☐ Abandon ☐		· · · · ·		
If abandonment, describe material and procedure in Item 12.				
	(11) WATER LEVEL: Completed well.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 192 ft.			
Rotary Driven Domestic Industrial Municipal Domestic				<u>/24/80</u>
Dp   Bored   Irrigation   Test Well   Other	Artesian pressure lbs. per squa	re inch.	Date	
CASING INSTALLED: Threaded Welded (1)	(12) WELL LOG: Diameter of well below casing 15  Depth drilled 632 ft. Depth of completed well 613 ft.			
	Formation: Describe color, texture, grain size			materials:
" Diam. from	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in			
PERFORATIONS: Perforated?   Yes   X No.	position of Static Water Level and indicate pri			
Type of perforator used	MATERIAL	From	То	SWL
Size of perforations in. by in.	top soil	0	2	
perforations from ft. to ft.	brown clay	2	5	·
perforations from tt. to tt.	black bubbly lava	5	34	
perforations from	34 brown clay & boulders	34	50	
	black lava	50	65	
(7) SCREENS: Well screen installed? ☐ Yes ☐ No	black lava & clay	65	86	
Manufacturer's Name	yellow clay	86	105	
Type	black lava	105	109	
Diam. Slot size Set from ft. to ft.	brown clay & boulders	109	115	
Diam. Slot size Set from ft. to ft.	black sandstone	115	137	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level Interstate	brown shale	137	168	2021
Was a pump test made? No If yes, by whom? Pump Co.		168 315	31.5 350	191 <del>1</del>
1260 12\frac{1}{2} \frac{1}{4}	brown shale black sandstone	350	485	11
1: 1200 gal./min. with 122 ft. drawdown after hrs.	blue clay	485	568	†i
	black basalt	568	607	"
" " " "	gray clay	607	611	#1
Bailer test gal./min. with ft. drawdown after hrs.	black basalt boulders	61i	613	••
P instan flow g.p.m.	hlack basalt	613	632	"
perature of water 68 Depth artesian flow encountered ft.	Work started 1/29 1980 Complet		24	19 80
(9) CONSTRUCTION:	Date well drilling machine moved off of well	3/24		<sub>19</sub> 80
Well seal—Material used .cement	Drilling Machine Operator's Certification: This well was constructed under my	direct	super	vision.
Diameter of well bore to bottom of seal	Materials used and information reported best knowledge and belief.  [Signed] (Drilling Machine Operator)	X.		
Number of sacks of cement used in well seal20 sacks	(Drilling Machine Operator)	<b>118</b>		
How was cement grout placed? grout pipe	Drilling Machine Operator's License No.			
	Water Well Contractor's Certification:	:-4:	.a. 45.1	
	This well was drilled under my jurisd true to the best of my knowledge and bel		u unis r	eport 18
Was a drive shoe used? ☐ Yes 戊No Plugs Size: location ft.  Did any strata contain unusable water? ☐ Yes ಔ No	Name John A. Van Meter (Person, firm or corporation)		pe or pri	
Type of water? depth of strata	AddressP. 9 Box 2048 Malin			
Method of sealing strata off	I DOP IN	1		
Was well gravel packed? ☐ Yes 🋣 No Size of gravel:	[Signed] (Water Well Country	actor)	<u>.</u>	
Gravel placed from ft. to ft.	Contractor's License No. 170 Date	3/24		. 19