NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT STATE OF OREGON IL ENGINEER No.

	A COPPON			
(1) OWNER:	(11) WELL TESTS: Drawdown is amount	water lev	el is	
Name Dept. of Agriculture-Forest Service				
Address Deschutes National Forest	Yield: 25 gal./min. with 31 ft. drawdov		3 hrs.	
Bend, Oregon	<u>" 20 " 21 "</u>	<u> </u>	2 "	
(2) LOCATION OF WELL:	30 pumped dry	10	min.	
County Klamath Driller's well number 264	Bailer test gal./min. with ft. drawded Artesian flow g.p.m. Date	own after	hrs.	
14 14 Section 18 T. 238 R. 6E W.M.	Temperature of water 42 Was a chemical analysis	madas 🎉	Ves [] No	
Bearing and distance from section or subdivision corner				
Trapper Creek Campground	(12) WELL LOG: Diameter of well below casing8			
	Depth drilled 79 ft. Depth of completed we		ft.	
	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.			
	MATERIAL	FROM	то	
(3) TYPE OF WORK (check):	Overburden, Dark soil	0	2	
New Well Deepening Reconditioning Abandon	Pumice Pumice	2	9	
Sandonment, describe material and procedure in Item 12.	Sand & Gravel	9	33	
(4) PRODUCED LICE (about). (5) MADE OF MAIN	Pumice type-silt, Dk.Brn.	33	-	
(4) PROPOSED USE (check): (5) TYPE OF WELL:	heaving fine sand	- 00	75	
Domestic Industrial Municipal Rotary Driven Industrial Author Cable Jetted	Medium Sand & Gravel	75	79	
Irrigation		10		
(R) CACING INCHALLED.			· · · · · · · · · · · · · · · · · · ·	
The state of the s				
8 "Diam. from 0 ft. to 80 ft. Gage 277				
" Diam. fromft. toft. Gage		1		
	101000			
(7) PERFORATIONS: Perforated? ☐ Yes \$\overline{\mathbb{N}}\$ No				
Type of perforator used			•	
Size of perforations in. by in.		ì	<u></u> .	
perforations fromft. toft.				
perforations fromft. toft.				
ft, toft,				
perforations from ft. to ft.	-		1	
perforations from ft. to ft.	PRINCE OF THE PR			
(8) SCREENS: Well screen installed? ☐ Yes ▼ No				
Manufacturer's Name		 	·	
Model No.		L		
m. Slot size Set from ft. to ft.	Work started 1 11 67 19 Completed 1	10 67	19	
Diam. Slot size Set from ft. to ft.	Date well drilling machine moved off of well 1-19-67			
(9) CONSTRUCTION:	(13) PUMP:			
Well seal—Material used in sealBentonite	Manufacturer's Name			
Depth of seal 20 ft. Was a packer used? no	Type:H.P.			
Diameter of well bore to bottom of seal in.				
Were any loose strata cemented off? Yes No Depth	Water Well Contractor's Certification:			
Was a drive shoe used? Yes \(\subseteq No	This well was drilled under my jurisdiction a	and this	renort is	
Was well gravel packed? Yes No Size of gravel:	true to the best of my knowledge and belief.			
Gravel placed from	NAME WHELL DELLING			
Did any strata contain unusable water? 🔲 Yes 🏂 No	(Person, firm or corporation) (Type or print)			
Type of water? depth of strata	Address Route 1 - Myrtle Creek, Ore.			
Method of sealing strata off	Drilling Machila One	_		
(10) WATER LEVELS:	Drilling Machine Operator's License No. 288			
Static level 3 ft below land surface Data 1-19-67	[Signed]			
tt. below land surface. Date	(Water Well Contractor)			
Artesian pressure lbs. per square inch Date	Contractor's kicense No. 252 Date 4-1-67			