NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date

WATER WELL REPORT NO F STATE OF OREGON

(Please type or print) / . Pri 171980

State Permit No. ... (Do not write alloye this line) SUITRCES DEPT of well completion. (10) LOCATION OF WELL: (1) OWNER: Klamath Driller's well number Name Bob Anthony County Address General Delivery NW 1/4 Section 13 T. 36 S.R. 10 E. <u>Sprague River, Oregon</u> Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well ™ Deepening | Reconditioning [ Abandon | If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Rotary Driven 🗆 Domestic | Industrial | Municipal | Static level ft. below land surface. Date Cable Jetted 🔲 Irrigation 
☐ Test Well ☐ Other Bored П Artesian pressure lbs, per square inch. Date (5) CASING INSTALLED: Threaded □ Welded ☑ (12) WELL LOG: יי21 יאסאא Diameter of well below casing .... 12 "Diam from 0 ft to 40 ft Gage 250 Depth drilled ft. Depth of completed well Formation: Describe color, texture, grain size and structure of materials; " Diam, from .... ft. to and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in (6) PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? | Yes | No. Type of perforator used MATERIAL Size of perforations in. by Sandy Top Soil 0 14 Brown Clay & Gravel perforations from ...... ft. to ft. Blue Clay 14 26 perforations from \_\_\_\_\_ ft. to \_\_\_\_ ft. Black Sandstone 26 40 perforations from ..... Blue Clay 40 130 (7) SCREENS: Well screen installed? ☐ Yes 🔀 No Black Sandstone 130 Manufacturer's Name Blue clav Blue Clay with Streaks of -Diam. Slot size Set from ft. to ft. Black Sand 220 230 Diam. ..... Slot size ..... Set from .... ft. to .... ft. Blue Clay 230 290 Blue Claystone 290 365 Drawdown is amount water level is lowered below static level (8) WELL TESTS: Blue Clay with Streaks of = Was a pump test made? 

☐ Yes ☐ No If yes, by whom? Black Sand 365 141 Black Sandstone 385 141 gal./min. with 86 ft. drawdown after 4 hrs. Black Lava Rock 425 NOTE: Well Reduces to 10" from 300' Bailer test gal./min. with ft. drawdown after to 439 sian flow g.p.m. remperature of water 53 Depth artesian flow encountered ...... ft. 3-24 Work started 1980 Completed 3-31 19 80 Date well drilling machine moved off of well (9) CONSTRUCTION: 3-31 19 80 Well seal—Material used Cement Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Well sealed from land surface to ...... Materials used and information reported above are true to my 16 Diameter of well bore to bottom of seal ..... best knowledge and belief teghen 11. Hughes Date 4-1-80, 19.80

Drilling Machine Operator) -- 1171 12 in. Diameter of well bore below seal ...... Number of sacks of cement used in well seal ..... Drilling Machine Operator's License No. 1171 How was cement grout placed? Pumped from bottom of casing up to the ground surface. Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name Norm Sevey Well Drilling, Inc.

(Type or print) Was a drive shoe used? 🛮 Yes 🗌 No Plugs ...... Size: location ........ ft. Did any strata contain unusable water? 🛣 Yes 🗌 No depth of strata 8' to 14' 5619 Leland Dr. Klamath Falls, OR 97601 Surface Type of water? Method of sealing strata off Casing [Signed] ! (Water Well Contractor) Was well gravel packed? [ Yes X No \_ Size of gravel: .... Contractor's License No. 408 Date 4-1 Gravel placed from \_\_\_\_\_ ft\_to \_\_\_\_ ft.