

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT
SALEM, OREGON 97310
within 30 days from the date of well completion.

APPL FILE G-10699
WATER WELL REPORT RECEIVED
STATE OF OREGON
APR 28 1982
WATER RESOURCES DEPT

State Well No. 365/11E-2306
State Permit No. KLAM 1998
Lower

(1) OWNER:
Name Harry Mitchell
Address State Line Rd, Tulelake, California

(2) TYPE OF WORK (check):
New Well Deepening Reconditioning Abandon
if abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: (4) PROPOSED USE (check):
Rotary Driven Domestic Industrial Municipal
Cable Jetted Irrigation Test Well Other
Aug Bored

(5) CASING INSTALLED:
6" Diam. from 0 ft. to 82 ft. Gage 250
Threaded Welded

(6) PERFORATIONS:
Perforated? Yes No
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforator: from ft. to ft.

(7) SCREENS:
Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:
Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " " " "
" " " " " "
Packer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:
Well seal—Material used cement grout
Well sealed from land surface to 80 ft.
Diameter of well bore to bottom of seal 22 in.
Diameter of well bore below seal 12 in.
Number of sacks of cement used in well seal 3 yds pumped in sacks
How was cement grout placed? pumped in

Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? SURFACE depth of strata
Method of sealing strata off CEMENT
Was well gravel packed? Yes No Size of gravel placed from ft. to ft.

(10) LOCATION OF WELL:
County Klamath Driller's well number
NW 1/4 SE 1/4 Section 23 T. 36S R. 11E W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.
Depth at which water was first found ft.
Static level ft. below land surface. Date
Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing 12
Depth drilled 445 ft. Depth of completed well 445 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top Soil	0	4	
Hard Clay	4	6	
Brown Clay	6	68	
Sandstone	63	141	
Brn Clay & Lava Streaks	141	185	
Conglomerate	185	205	
Lava Rock	205	270	
Gray Rock	270	302	
Conglomerate	302	320	
Soft Pumice Rock	320	335	
Gray Rock	335	360	
Soft Conglomerate	360	395	
Gray Rock	395	410	
Soft Red Lava	410	445	

Work started 5/7 1974 Completed 7/11 1975
Date well drilling machine moved off of well 7/11 1975

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] ken reynolds Date 7/21 1975
(Drilling Machine Operator)
Drilling Machine Operator's License No. 947

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name C & C Enloe Drilling
(Person, firm or corporation) (Type or print)
Address P.O. Box 323, Dorris, Ca 96023
[Signed] Carl V. Enloe
(Water Well Contractor)
Contractor's License No. 503 Date 7/6 1975

RECEIVED