original, and Appl for 16 "well WATER WELL DRILL	LERS REPORT Do Not State Well No.
Duplicate with the in same location for STATE ENGINEER, SALEM, OREGON irv. to be submitted.	
(1) OWNER:	(10) WELL TESTS:
Name HARRY L. MITCHELL	Was a pump test made? Yes No If yes, by whom?
Address _ RT. 1, Box 193	Yield: gal./min, with ft. draw down after hrs.
TULELAKE CALIF.	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,
(2) LOCATION OF WELL:	1) 1) 1)
	Artesian flow
County KLAMATH Owner's number, if any—	Shut-in pressure
R. F. D. or Street No. Bearing and distance from section or subdivision corner	Bailer test g.p.m. with ft. drawdown Temperature of water 7/ Was a chemical analysis made? Yes ANO
785 PEET NORTH AND 550 PEET	Temperature of water / Was a chemical analysis made? Was electric log made of well? Yes No
WEST FROM THE CENTER OF	9.
SECT. 23, T. 365, B.II.F., W.M.	(11) WELL LOG:
(0)	Diameter of well, inches.
(3) TYPE OF WORK (check):	Total depth 409 ft. Depth of completed well 409 ft.
New well Deepening Reconditioning Abandon Candonment, describe material and procedure in Item 11.	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
(A) TOTTOMATON	stratum penetrated, with at least one entry for each change of formation.
(4) PROPOSED USE (check): (5) EQUIPMENT:	ft. to 0 ft. 8 top soil
Domestic Industrial Municipal Rotary Cable	- 8 "82 Chaugh
Irrigation Test Well Other Dug Well	89 920 sand slong
CASING INSTALLED: If gravel packed	220 379 Chark and Sand
Threaded □ Welded Ø	379 "402 funt a span
Gage or Diameter from to	" " "
FROM ft to ft Diam. Wall of Bore ft. ft.	1) 1)
<u>"D" [3 9" / 15"]</u>	" "
11 11 11 11 11 11 11 11 11 11 11 11 11	11 12
11 11 11 11 11 11 11 11 11 11 11 11 11	2) 1)
n n n n n n n	<u> </u>
Type and size of shoe or well ring H by S Size of gravel:	n n
Describe joint welled with Slainles stell	2) 2)
(7) PEREORATIONS:	<u> </u>
f perferator used	31 29
ZE of the tions in., length, by in.	" "
ft. perf per foot No. of rows	n n
3 ,508 " " " " " " " " " " " " " " " " " " "	"
426 " " " " " " " " " " " " " " " " " " "	n n
	n n
	n n
SCHEENS: Green anufacturer's Name, Model No. and Size	" "
Gregorial actual S Maine, model 100 and Sing	n n
(%) CONCUDICATION.	" "
(8) CONSTRUCTION: Was a surface sanitary seal provided? Yes \(\sigma \) No To what depth \(\beta \) Oft.	n n
Were any strata sealed against pollution? ★Yes □ No	Ground elevation at well site feet above mean sea level.
If yes, note depth of strata	Work started 19 , Completed 19
THOM O	Well Driller's Statement:
"	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
METHOD OF SEALING Cement	W. C. HARTLEY & SON
(9) WATER LEVELS:	NAME (Person, firm, or corporated) LINGTyped or printed)
Depth at which water was first found ft.	U BONANZA, OREGON, BOX 146
Standing level before perforating ft.	Address
Standing level after perforating ft.	Driller's well number
Log Acceptatoy:	[Signed] (Well Driller)
[Signed] Shutshell Dated Oct 27, 1957	License No. 164 Dated 0 c/ 27, 1957
Owner	. Toward