

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

RECEIVED WATER WELL REPORT DEC 9 1963

STATE OF OREGON (Please type or print)

KLAM 2127

State Well No. 36/13-22 H State Permit No. Klamath Falls

(1) OWNER:

Name: H. Lloyd Martin Address: Belf, Oregon

(2) LOCATION OF WELL:

County: Klamath Driller's well number: 1/4 Section T. R. W.M. Bearing and distance from section or subdivision corner: Going deeper on well with new base 1961 - undermined from 8" to 16" - Apr. 1962 - Depth 140 ft -

(3) TYPE OF WORK (check):

Well [ ] Deepening [x] Reconditioning [ ] Abandon [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [x] Test Well [ ] Other [ ]

(5) TYPE OF WELL:

Rotary [ ] Cable [ ] Dug [ ] Driven [ ] Jettied [ ] Bored [ ]

(6) CASING INSTALLED:

Threaded [ ] Welded [ ] Diam. from ft. to ft. Gage

(7) PERFORATIONS:

Perforated? [ ] Yes [ ] No Type of perforator used Size of perforations in. by in. perforations from ft. to ft.

(8) SCREENS:

Well screen installed? [ ] Yes [ ] No Manufacturer's Name Model No. Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal: cement Depth of seal: 20 ft. Was a packer used? no Diameter of well bore to bottom of seal: 16 in. Were any loose strata cemented off? [ ] Yes [x] No Depth: Was a drive shoe used? [x] Yes [ ] No Was well gravel packed? [ ] Yes [x] No Size of gravel: Gravel placed from ft. to ft. Did any strata contain unusable water? [ ] Yes [x] No Type of water? Depth of strata Method of sealing strata off

(10) WATER LEVELS:

Static level: 40 ft. below land surface Date Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level. Was a pump test made? [x] Yes [ ] No If yes, by whom? Pump Yield: 3100 gal./min. with 105 ft. drawdown after 8 hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [ ] Yes [x] No

(12) WELL LOG:

Diameter of well below casing: 16" Depth drilled: 40 ft. Depth of completed well: 180 ft. Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns: MATERIAL, FROM, TO. Rows: Black lava (140-145), Brown lava (145-160), Black lava (160-164), Lava binder (164-170), Lava binder (170-176), Lava binder (176-180)

Work started Oct 12 1963 Completed Oct 18 1963 Date well drilling machine moved off of well Oct 25 1963

(13) PUMP:

Manufacturer's Name Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME: Pat McHirley (Person, firm, or corporation) Address: Tulelake, Calif

Drilling Machine Operator's License No. 154

[Signed] (Water Well Contractor)

Contractor's License No. Date Dec 1, 1963