See Note in 12 Below 2159 UCIVED State Well No. 365/148-3100 WATER WELL REPORT JUL 10 1981 STATE OF OREGON WATER RESOURCES DEPT Permit No. Reamed SALEM, OREGON (10) LOCATION OF WELL: (1) OWNER: Name Wayne Smith County Klamath Driller's well number SL) & NE & Section 31 Address POBOX 46 T. 3605 R 14C W.M. Orceron Tax Lot # Bly Address at well location: (2) TYPE OF WORK (check): New Well 🗆 ... Deepening 🗅 🤔 (11) WATER LEVEL: Completed well. If abandonment, describe material and procedure in Item 12. Depth at which water was first found -(4) PROPOSED USE (check): (3) TYPE OF WELL: Static level ft. below land surface. Date Industrial
Test Well Artesian pressure lhs. per square inch. Date Rotary Mud Irrigation Other Withdrawal 0 (12) WELL LOG: Thermal: Depth drilled ft. Depth of completed well (5) CASING INSTALLED: Steel Plantic П Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry Thread Welded ft. Gauge for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. ft to" Diam. from ft. Gauge LINER-INSTALLED: MATERIAL SWL Reamed Out to 10" For Pump, Frans 106 to 201 (6) PERFORATIONS: Perforated? □ Yes □ No Type of perforator used Laura Rock 201 Size of perforations .. perforations from ft. to Well-Cleaned out perforations from

... perforations from (7) SCREENS: Well screen installed?

Yes

No Amendea Manufacturer's Name Slot Size Set from Set from .. Slot Size (8) WELL TESTS: below static level RECEIVED SYes | No If yes, by whom? gal./min.with ft. drawdown after hrs. 2005 gal/min, with drill stem as Air test Beiler test gal/min. with WATER RESOURCES DEPT esism flow SALEM, OREGON erature of water Depth artesian flow encountered .. Work started Date well drilling machine moved off of well (9) CONSTRUCTION: Special standards: Yes 🗆 No 🗍 Well seal-Material used Undistauberd **Drilling Machine Operator's Certification:** This well was constructed under my direct supervision. Materials used Well sealed from land surface to and information reported above are true to my best knowledge and helief.

[Signed] Object Date 1 Dat Diameter of well bore to bottom of seal Diameter of well bore below sealin. Number of sacks of sement used in well seel Drilling Machine Operator's License No. Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was pump installed? Name Age v. Chance llow Well-Dvilling.
(Person, firm or corporation) (Type or print) Was a drive shoe used? . Was . No Plugs Size: location ft. Address 5233 Valley View hane K. Falls Ove. Did any strata contain anusable water?

Vas No Type of Water?

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report ste to be filed with the

Size of gravel: ..

depth of strats

Method of sealing strata off

Was well gravel packed? ☐ Yes ☐ No

WATER RESOURCES DEPARTMENT, BALEM, OREGON 97310 within 30 days from the date of well completion.

SP*12658-690

Date 7-8 198/

WATER WELL REPORT STATE OF OREGON

RECEIVED

JUL 10 1981

State Well No. 🤄

WATER RESOURCES DEPT Permit No. SALEM. OREGON (1) OWNER: (10) LOCATION OF WELL: Name Warne Smith County Klamath Driller's well number SL) 4 NE 4 Section T. 3/05 R. State 97623 Tax Lot # Subdivision Address at well location: (2) TYPE OF WORK (check): New Well Deepening Reconditioning [Abandon 🗆 (11) WATER LEVEL: Completed well. If abandonment, describe material and procedure in Item 12. Depth at which water was first found (3) TYPE OF WELL: (4) PROPOSED USE (check): Static level ft. below land surface. Date Rotary Air 💢 Industrial Driven Domestic ☐ Municipal Artesian pressure lbs. per square inch. Date Rotary Mud Test Well Dug \Box Irrigation □ Other П Bored Withdrawal Reinjection Thermal: (12) WELL LOG: Diameter of well below casing .. Depth drilled ft. Depth of completed well " CASING INSTALLED: Steel Plastic Formation: Describe color, texture, grain size and structure of materials; and show Thread Welded thickness and nature of each stratum and aquifer penetrated, with at least one entry ft. Gauge for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata." Diam. from ft. to ft. Gauge LINER-INSTALLED: MATERIAL (6) PERFORATIONS: Perforated?

Yes Type of perforator used 106 Size of perforations perforations from ft. to ft. perforations from ft. to SCREENS: Well screen installed? ☐ Yes ☐ No Slot Size ____Set from ____ Slot Size Set from ft. to ... Drawdown is amount water level is lowered (8) WELL TESTS: below static level Was a pump test made? □ No If yes, by whom? ft. drawdown after Air test gal./min. with drill stem hrs. Bailer test gal./min. with hrs. esian flow erature of water Depth artesian flow encountered 19 8 Work started (9) CONSTRUCTION: Date well drilling machine moved off of well Special standards: Yes

No **Drilling Machine Operator's Certification:** Wall sealed from land surface to This well was constructed under my direct supervision. Materials used Diameter of well bore to bottom of sealin. Diameter of well bore below sealin. (Drilling Machine Operator Number of sacks of sement used in well seal _____ Drilling Machine Operator's License No. Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was pump installed? Name Hayen Chancellon Well-Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location Did any strata contain anusable water?

Yes No Type of Water? Method of scaling strata off Size of gravel: ..

> NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

Was well gravel packed? ☐ Yes ☐ No

WATER RESOURCES DEPARTMENT. SALEM, OREGON 97310 within 30 days from the date of well completion.

SP*12658-690

RECEIVED

MAY 12 2005 WATER RESOURCES DEPT SALEM, OREGON

