STATE OF OREGON

RECEIVED

RECEIVED

Man	235/65-26/
KUA3	
	(for official use only)

WATER WELL REPORT (as required by ORS 537.765)

NOV 12 1980 SE TYPE OF PRINT IN INK 3 0 1986

(1) OWNER: WATER RESOURCES DEPT.	(10) LOCATION OF WELL by lega		
Name DIM VENNER SALEM, OREGON	County REAMATER SEWSEW	of Section	<u>6</u> of
Address ODEL LAKE LODGE	Township, Range, Range	(Range is East or V	WM.
City P.O. BOX 72 CRESCEN LAKE State ORE	Tax Lot Lot Block Subdivision	(Italige is East of v	vest)
(2) TYPE OF WORK (check):	MAILING ADDRESS OF WELL (or nearest address)	*	
New Well Deepening Reconditioning Abandon	D. D. Vina	// / 	
If abandonment, describe material and procedure in Item 12.	1,0,00x12 Crescent	LORE (2)	sl.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL of COMPLET	ED WEL	L:
Rotary Air Driven Domestic Industrial Municipal D	Depth at which water was first found		ft.
Rotary Mud Dug Irrigation Withdrawal Reinjection	Static level 32 ft. below	land surface. Da	te 5-/1-86
Other:	Artesian pressure lbs. per	square inch. Da	te
Cable Bored Deiezometric Grounding Test	(12) WELL LOG: Diameter of well below)
S Diam. from ft. to ft. Gauge 2.550		f completed well of materials; and least one entry fo	show thickness
LINER INSTALLED: Step Plastic Plastic Welded	MATERIAL	From To	CMM
	CLAY-BOLDERS	0 27	
Diam. from ft. to ft. Gauge	CLAY	22 80	
(6) PERFORATIONS: Perforated? Yes \square No	SAND-GRAVEL	80 91	1 22
Size of perforations // in. by 4 in.	SAND CHAVES	00 71	
perforations from		 	
perforations from			
perforations from ft. to ft.		 	
(7) SCREENS: Well screen installed? Yes No		 	
Manufacturer's Name			77.2
Type			
Diam. Slot Size Set from ft. to ft.		 	
Diam Slot Size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
			
Was a pump test made? Yes No If yes, by whom? DR/14 4 FR			
Yield: 50 gal./min. with / 6 ft. drawdown after 4 hrs.			
Air test gal/min with rivill stem at ft have			
gan, mm. with drin stem at 1t., ms.			
A			
50			
	Date work started 5 - 7 - 86 /complete	1 1 1 1	06
CONSTRUCTION: Special standards: Yes \(\text{No } \text{ \(\text{X} \)	Date well drilling machine moved off of well	<u>"3 </u>	19 🗴 🗸
Well seal—Material used CEMENT		7	
Well sealed from land surface to	(unbonded) Water Well Constructor Certifica		
Diameter of well bore to bottom of seal in.	This well was constructed under my direct supe information reported above are true to my best kno	ervision. Mater	rials used and
Diameter of well bore below seal in.			
Amount of sealing material	[Signed]	Date	, 19
How was cement grout placed? THROUGH PIPE	(bonded) Water Well Constructor Certification	n:	
The second secon	Bond 505/70 Issued by: WEST		
1/0 =	(number) (Sure	ety Company Name	3
Was pump installed? Type HP Depth ft.	On behalf of 77 7 1/2 2 0 R (type or print name of War	ter Well Constructs	or)
Was a drive shoe used? Yes No Plugs Size: location ft. Did any strata contain unusable water? Yes No			
Type of Water? depth of strata	This well was drilled under my jurisdiction ar best of my knowledge and belief:	id this report i	is true to the
	Marina		
Method of sealing strata off	(Signed) (Water Well Constructor		••••••
Was well gravel packed? Yes No Size of gravel:	(Dated) 5-13-86	*/	
Gravel placed from ft. to ft.		***************************************	*******************************