

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion

RECEIVED STATE ENGINEER SALLM OREGON

WATER WELL REPORT

STATE OF OREGON

(Please type or print) Do not write above this line

KLAMATH 2384

State Well No. 37/12-3

State Permit No.

(1) OWNER:

Name Mike Deely Address 161 E St Lakeview Oregon

(2) TYPE OF WORK (check):

New Well [x] Deepening [ ] Reconditioning [ ] Abandon [ ]

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [ ] Driven [ ] Cable [x] Jetted [ ] Dug [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [x] Test Well [ ] Other [ ]

(6) CASING INSTALLED:

16" Diam. from 0 ft. to 20 ft. Gage 3/8

PERFORATIONS:

Perforated? [ ] Yes [x] No

Type of perforator used

Size of perforations in. by in. perforations from ft. to ft. Gage

(7) SCREENS:

Well screen installed? [ ] Yes [x] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 42 ft. below land surface Date 2/12/69 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made [x] Yes [ ] No If yes, by whom? Valley Pump 1500 gal./min. with 88 ft. drawdown after 4 hrs.

Baller test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m. Date

Temperature of water 57 Was a chemical analysis made? [ ] Yes [x] No

(10) CONSTRUCTION:

Well seal—Material used Bentonite Depth of seal 19 ft Diameter of well bore to bottom of seal 20 in. Were any loose strata cemented off? [ ] Yes [x] No Depth Was a drive shoe used? [ ] Yes [x] No Did any strata contain unusable water? [ ] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [ ] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Klamath Driller's well number 14 1/4 Section 3 T. 37 R. 12 W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 12" to 470' 16" to 190' 16" to 470' Depth drilled 470 ft. Depth of completed well 470 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Top soil brown, Brown clay and gravel, Gray basalt boulders carrying a little water, Gravel carrying water, Black Lava, Brown cinders, Basalt boulders, Red cinders, Hard black lava, Red cinders, Black broken lava carrying water, Brown clay, Blue clay, Brown sand carrying water, Brown clay, Medium gravel carrying water, static raised to.

Work started July 13 1968 Completed Feb 13 1969 Date well drilling machine moved off of well Feb 15 1969

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Denny M. McClane Date 3/5 1969 (Drilling Machine Operator)

Drilling Machine Operator's License No. 107

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Denny M. McClane Well Drilling (Person, firm or corporation) (Type or print) Address 1607 Austin Klamath Falls, Ore [Signed] Denny M. McClane (Water Well Contractor) 476 3/5/69 Contractor's License No. Date 19