## WATER WELL REPORT STATE OF OREGON

## RECEIVED NOV 10 1983

No.	245/	75	-6b	Ŀ
-----	------	----	-----	---

WATER	RES	OURCES	Parama !
SA	LEM.	OREGON	nch!!

State Well No.	245/70	=-6bb
----------------	--------	-------

State Permit No.

(1) OWNER:	(10) LQCATION OF WELL:
Name Wally Miller ( Fugles Nest Resort)	County Klamath. Driller's well number
Address 90165 MarcolaRd	NU 4 NW 4 Section 6 T. 24 YR. 7 E W.M.
City Spring Field State Oregon	Tax Lot # Lot Blk Subdivision  Address at well location: Cres cryt Lake. Let "
(2) TYPE OF WORK (check):	Address at well location: Cres and Fare 18
New Well	(11) WATER LEVEL: Completed well.
	Depth at which water was first found 22 2.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level 15 ft. below land surface. Date 38 83
Rotary Air	Artesian pressure lbs. per square inch. Date
	Depth drilled Diameter of well below casing
(5) CASING INSTALLED: Steel Plastic Welded G	Formation: Describe color, texture, grain size and structure of materials; and show
	thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
LINER INSTALLED:	MATERIAL From To SWL
ft. Gauge	Plumice 04
(6) PERFORATIONS: Refrorated? M Yes $\square$ No	Clay agravel 421
Type of perforator used Tokesh	Rock 21 24
Size of perforations in.	Broken Kock 24 38
	Small graves and Clay 38 50 15 Broken Lavel 50 60
perforations from	Droken Lavel 30 60
perforations from	
(7) SCREENS: Well screen installed? Yes No	
Manufacturer's Name SUTO PSO IV Type Plastic Model No. 160 PS I	
Diam. Slot Size 44.8 Set from 47. ft. to 59. ft.	
Diam. Slot Size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? XYes No If yes, by whom?	
gal/min. with / ft. drawdown after /2_hrs.	
Air test gal/min, with drill stem at ft bre	Land to the state of the state
Air test gal./min. with drill stem at ft. hrs.  Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
erature of water Depth artesian flow encountered ft.	Work started 9-28 1983 Completed 10-6 1983
(9) CONSTRUCTION: Special standards: Yes \( \text{No} \( \text{No} \)	Work started 4-28 1983 Completed 10-6 1983  Date well drilling machine moved off of well 1983
Well seal—Material used Cement	Drilling Machine Operator's Certification:
Well sealed from land surface toft_	This well was constructed under my direct supervision. Materials used
Diameter of well bore to bottom of sealin.	and information reforted above are true to my best knowledge and belief.
Diameter of well bore below seal	[Signed] Date Date 1, 1983
Number of sacks of cement used in well seal sacks How was cement grout placed? DHSSULE 91041	Drilling Machine Operator's License No
	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to
Was pump installed?	the best of my knowledge and belief.  Name Dive 3 Well I Drill NC
Was a drive shoe used? □ Yes ♠No PlugsSize: locationft.  Did any strata contain unusable water? □ Yes ♠No	(Person firm or corporation) (Type pr print)
Type of Water? depth of strata	Address 8485 ! Thu da not the sant Hill Ore
Method of sealing strata off	[Signed] Water Well Contractor)
Was well gravel packed? □ Yes No □ Size of gravel:	Contractor's License No. 620 Date LF7 1983
Gravel placed fromft. toft.	