## KLAM RECEIVED

STATE OF OREGON

50688

APR 2 3 1997

WATER SUPPLY WELL REPORT (START CARD) #82171 Instructions for completing this report are on the last page of this form (as required by ORS 537.765) SALEM, OREGON Well Number L11955 (1) OWNER: (9) LOCATION OF WELL by legal description: Name TRAIN MOUNTAIN FOUNDATION County KLAMATH Latitude Longitude Address 36941 S. CHILOQUIN RD. N or S Range 07 Township E or W. WM. Zip 97624 City CHILOQUIN State OR Section 04 1/4 SW 1/4 (2) TYPE OF WORK Tax Lot 300 Block Subdivision Street Address of Well (or nearest address) 36810 SOUTH New Well Deepening Alteration (repair/recondition) Abandonment CHILOQUIN, RD. (3) DRILL METHOD: CHILOQUIN. Rotary Air Rotary Mud Cable (10) STATIC WATER LEVEL: Auger 139 FT ft. below land surface. Other Date **04-11-97** (4) PROPOSED USE: Artesian pressure 1b. per square inch. (11) WATER BEARING ZONES: Domestic Community Industrial Irrigation Livestock Thermal Other Injection (5) BORE HOLE CONSTRUCTION: Depth at which water was first found 184 FT. Special Construction approval Yes No Depth of Completed Well 269 Explosives used Yes No Type SWL From Estimated Flow Rate HOLE SEAL 184 216 6 GPM 139 216 269 30 GPM Diameter Material From Sacks or pounds 139 10' 37 CEMT& 8 SKS 37 BENTONITE 3/4 SK 6" 37 269 (12) WELL LOG: How was seal placed: Method  $\square$ A  $\square$ B **∑**C Ground Elevation 4150 Other ft. From SWL Backfill placed from ft. to Material Material То Gravel placed from ft. to ft. Size of gravel TOP SOIL 2 O (6) CASING/LINER: SANDY BROWN CLAY & Diameter To Steel Plastic Welded Threaded Gauge <u>GRAVEL</u> 16 Casing: 6 \* BROWN SANDSTONE 16 21 BROWN CLAY & LAVA ROCK 21 29 BROWN CLAY 29 42 BROWN CLAY W/STREAKS OF Liner: NONE BLACK LAVA ROCK & SANDSTONE 121 Final location of shoe(s)\_NONE SANDY GRAY CLAY 121 (7) PERFORATIONS/SCREENS: CLAYSTONE 132 Perforations Method NONE GRAY CLAY 132 149 Screens Type Material SANDY GRAY & BROWN CL Slot Tele/pipe size GRAY CLAY W/STREAKS OF 184 From Diameter Casing Liner Number BLACK SANDSTONE & FINE GRAVEL 216 139 П BLACK SAND. SANDSTONE FINE GRAVEL & CLAY 269 139 (8) WELL TESTS: Minimum testing time is 1 hour Date started 04 - 10 - 97 Completed 1 1 - 97 (unbonded) Water Well Constructor Certification: Flowing Pump Bailer **Y**Air Artesian I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Drill stem at Yield gal/min Drawdown Time Materials used and information reported above are true to the best of my knowledge 1 hr. and belief. 30 WWC Number 1560 Bred Purkey Depth Artesian Flow Foundmone Temperature of water 56 F (bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work Was a water analysis done? Yes By whom performed on this well during the construction dates reported above. All work Did any strata contain water not suitable for intended use? performed during this time is in compliance with Oregon water supply well Salty Muddy Odor Colored Other construction standards. This report is true to the best of my knowledge and belief. WWC Number 777 Depth of strata: NONE Date