RECFIVED 52970

SEP 2 6 2001

STATE OF OREGON

WELL I.D. # L_ WATER SUPPLY WELL REPORTATER RESOURCES DEPT. Klam START CARD # 14/1/00 (as required by ORS 537.765) Instructions for completing this report are on the last water by the form *52*970 (9) LOCATION OF WELL by legal description: (1) OWNER: Well Number County KLAMATH Latitude_ Longitude HNDERSON Name trank 405 N or S Range Q E E or W. WM. OLD MIDLAND Section 807 NE Sw 1/4 7 1/4 1/4 NE & City KLAMATH Block Subdivision __Lot_ (2) TYPE OF WORK New Well Deepening Alteration (repair/recondition) Abandonment Street Address of Well (or nearest address) Corner ER OF LOWER LAKE Ro & Cross Ro. KLAMATH (3) DRILL METHOD: (10) STATIC WATER LEVEL: ☐ Rotary Air ☐ Rotary Mud ☐ Cable Auger 48 ft. below land surface. Other lb. per square inch. (4) PROPOSED USE: Artesian pressure (11) WATER BEARING ZONES: □ Domestic Community Irrigation Industrial Other Livestock ☐ Injection Thermal (5) BORE HOLE CONSTRUCTION: Depth at which water was first found _ Special Construction approval Yes No Depth of Completed Well 240 ft. To Estimated Flow Rate SWL Explosives used Yes No Type 48 DODM **SEAL** HOLE 48 LUDWN 160 Te Sacks or pounds Diameter 240 GROUT 70 240 200 D Bevolovid (12) WELL LOG: <u></u>Е $\square D$ □В ⊠c Ground Elevation How was seal placed: Method Other SWL To From Backfill placed from ft. Material Material 12 0 ft. Size of gravel Gravel placed from ft. to 20 (6) CASING/LINER: 32 BBLY BASAUT 20 Welded Gauge Steel Plastic Te Diameter From 44 48 П 72 96 Liner: 96 48 120 BASALT BIK 160 48 Final location of shoe(s) (7) PERFORATIONS/SCREENS: 160 180 180 Perforations Method Tooch Cut 48 215 Material Screens Tele/pipe **23**5 48 Bubbly BASA 215 Diameter, Casing Liner 48 × 150 <u>48</u> 27, 2001 Completed Aug (8) WELL TESTS: Minimum testing time is 1 hour Date started <u>Mou</u> (unbonded) Water Well Constructor Certification: Flowing I certify that the work I performed on the construction, alteration, or abandonment Bailer Artesian Pump ☐ Air of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge Drill stem at Time Yield gal/mir and belief. 1 hr. WWG-Number (bonded) Water Well Constructor Certification: Temperature of water 60 Depth Artesian Flow Found I accept responsibility for the construction, alteration, or abandonment work Yes By whom Was a water analysis done? performed on this well during the construction dates reported above. All work Did any strata contain water not suitable for intended use? performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief. Salty Muddy Odor Colored Other LANDOWNER WWC Number Depth of strata: 56' to 62 Signed F4