RECEIVED KLAM 53641

STATE OF OREGON JAN 0 3 2003				
WATER SUPPLY WELL REPORT RESOURCES DEPT. (as required by ORS 537.765) WALER RESOURCES DEPT.	WELL I.D. # L 51773			
(as required by ORS 537.765) SALEM, OREGON Instructions for completing this report are on the last page of this form.	53641 START CARD # 145950			
(1) LAND OWNER , Well Number	(9) LOCATION OF WELL by	local descriptions		
Name U.S. Timberland/Klamath Falls, LLC			ongitude	
Address 7680 Happy Hollow Lane	Township 40S Nor S	Township 40S N or S Range 12E E or W. WM.		
City Bananza, State OR Zip 97623	Section 28 SW	County_Klamath Latitude		. ** 1*1.
(2) TYPE OF WORK	Tax Lot 6800 Lot	Block 9	Subdivision	
☐ New Well	.			
(3) DRILL METHOD:	Street Address of Well (or nearest Rd., N			
☑ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger	(10) STATIC WATER LEVEL	•	Date 12/	/20/02
☐ Other	- It: below land surface.			
(4) PROPOSED USE: □ Domestic □ Community □ Industrial ☒ Irrigation	Artesian pressurelb. per square inch		Date	
☐ Thermal ☐ Injection ☐ Livestock ☐ Other	(11) WATER BEARING ZON	ES:		
(5) BORE HOLE CONSTRUCTION:	Depth at which water was first found	l		
Special Construction approval ☐ Yes 🛣 No Depth of Completed Well	From To	Estimated	Flow Rate	SWL
Explosives used Yes No Type Amount	- 230 396		- 10# Raic	169
HOLE SEAL				1209
Diameter From To Material From To Sacks or pounds				-
14 0 230				
8 230 396	-			<u> </u>
	(12) WELL LOG:			
How was seal placed: Method \(\subseteq A \) \(\subseteq B \) \(\subseteq C \) \(\subseteq D \) \(\subseteq E \)	Ground Elevation			
Other				
Backfill placed fromft. toft. Material	Material	From	То	SWI
Gravel placed fromft. toft. Size of gravel	Gray basalt	230	244	
(6) CASING/LINER:	Gray&green basalt	244	252	-
Diameter From To Gauge Steel Plastic Welded Threaded Casing: 124 +1 35 250 X	Broken brn&gray basa		257	
Casing: 14 T1 33 230 A	Gray basalt Red rock	257 272	272	1
	Brn lava	287	289	+
	Gray basalt	289	292	
Liner:	Decomposed lava	292	298	-
	Red & brn lava	298	336	-
Drive Shoe used ☐ Inside ☐ Outside ☐ None	Brn lava	336	350	
Final location of shoe(s)	Red & brn lava	350	375	1
(7) PERFORATIONS/SCREENS: ☐ Perforations Method	Gray basalt	375	385	
Screens Type Material	Red & brn lava	385	396	
Slot Tele/pipe	Bare Anna Tare Anna A Sant For			
From To size Number Diameter size Casing Liner	RECEIVED	3		
	11011 6 0 0001		ļ	
	NOV 3 0 2004		 	
	MATER RECOURSES S	F0+	-	
	WATER RESOURCES D		20 /02	1
8) WELL TESTS: Minimum testing time is 1 hour Flowing	Date started SARFMROBEGON		JU/UZ	
✓ Pump ☐ Bailer ☐ Air ☐ Artesian	(unbonded) Water Well Constructor (
Yield gal/min Drawdown Drill Stem at Time	I certify that the work I performed o ment of this well is in compliance with 0	n the construction, alte Oregon water supply w	eration, or aba rell constructi	andon- ion
1500 30 (1 hr.)	standards. Materials used and information			
	knowledge and belief.	WWC Nur	nber	
	WWC Number Signed Date			
Temperature of yearer 56 Depth Artesian Flow Found	(bonded) Water Well Constructor Cer	tification:		
Was a water analysis done? Yes By whom	F		bandonment v	work
		uction dates reported a	bove. All wo	
Did any etrata contain water not suitable for intended use?	performed on this well during the constr	nce with Oran	cupel	
, · · · · · · · · · · · · · · · · · · ·	performed during this time is in complia	nce with Oregon water e to the best of my kno	r supply well owledge and b	pelief,
Did any strata contain water not suitable for intended use?	performed during this time is in complia	nce with Oregon water e to the best of my kno WWC Nur	r supply well owledge and b nber	pelief.