KLAM 58134

Page 1 of 1

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

05-11-2012

WELL LABEL # L	104229
START CARD#	1016264

(1) LAND OWNER	R Owner Well I.D.					(9) LOCATION OF WELL (legal description)
First Name MARTIN	Last Name SANCHEZ			County Klamath Twp 35.00 S N/S Range 7.00 E E/W WM		
Company				Sec 28 SE 1/4 of the SE 1/4 Tax Lot 701		
Address P O BOX 464	G					Tax Map Number Lot
City FORT KLAMATH State OR Zip 97626				7626	Lat o or DMS or DD Long o or DMS or DD	
(2) TYPE OF WORK	New Well	Deepe	ning	Conv	ersion	Eong
Alteration (repair/recondition) Abandonment					Street address of well Nearest address 30771 HWY 97N, CHILOQUIN, OR 97624	
(3) DRILL METHOD					507/1 HW 1 97N, CHILOQUIN, OK 97024	
Rotary Air Rotary Mud Cable Auger Cable Mud Reverse Rotary Other					(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)	
(4) PROPOSED USE Domestic Irrigation Community					Existing Well / Predeepening	
Industrial/ Commercial Livestock Dewatering					Completed Well 05-03-2012 16	
Thermal Injection Other					Flowing Artesian? Dry Hole? Dry Hole?	
)N c:	-1 C4 1	1 🗆		WATER BEARING ZONES Depth water was first found 14
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy. Depth of Completed Well 472.00 ft.					SWL Date	
BORE HOLE	472.00		AL		sacks	0.1.00.0010
Dia From To	Material		om	To A	Amt lbs	04-23-2012 254 281 15 16
10 0 110	Cement	() 1	10	24.5 S	05-03-2012 298 472 40 16
6 110 472	1					
	1					(11) WELL LOG Ground Elevation 4,150
How was seal placed: M	ethod A	В	Zc [D	Е	Material From To
Other						Top Soil 0 3
Backfill placed from	ft. to	ft. Mate	erial			Brown Clay 3 14
·	to ft.			_Size		Brown Clay, Sand & Fine Gravel 14 104 Gray Clay 104 118
Explosives used: Yes T	/pe	_ Amou	nt			Gray Clay 104 118 Gray Clay w/streaks of Black Sand & White Pumice 118 126
(6) CASING/LINER						Gray Clay 126 254
Casing Liner Dia	+ From	To Ga	ige Stl	Plstc	Wld Thrd	Fine Black Sand 254 281
● ○ 6	2	293 .2	50		$\boxtimes \sqcup$	Gray Clay 281 298
					Gray Clay w/streaks of White Pumice 298 472	
\times			$-\!$	\vdash	HH	
			$ \bowtie$	$\overline{}$	ΗН	
Shoe Inside Outside Other Location of shoe(s) 293						
	_	rom				
(7) PERFORATIONS				Го		
Perforations Method						
	ns Type		Materi	al		
Perf/S Casing/ Screen		Scrn/slot	Slot	# of slots	Tele/ pipe size	Date Started 04-20-2012 Completed 05-03-2012
Creen Lines Dia Fr	om To	width	length	SIOLS	pipe size	(unbonded) Water Well Constructor Certification
						I certify that the work I performed on the construction, deepening, alteration, or
						abandonment of this well is in compliance with Oregon water supply well
						construction standards. Materials used and information reported above are true to the best of my knowledge and belief.
(O) WELL TECTS, M.		4	1			
(8) WELL TESTS: Minimum testing time is 1 hour					License Number 1560 Date 05-11-2012 Electronically Filed	
Pump Bailer Air Flowing Artesian				_	Signed JAMES B PINKARD (E-filed)	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 20 90 1					(bonded) Water Well Constructor Certification	
70 1				-	I accept responsibility for the construction, deepening, alteration, or abandonment	
					work performed on this well during the construction dates reported above. All work	
Temperature 53 °F Lab analysis Yes By					performed during this time is in compliance with Oregon water supply well	
Water quality concerns? Yes (describe below)					construction standards. This report is true to the best of my knowledge and belief.	
From To Description Amount Units 118 281 Too Sandy				mount	License Number 777 Date 05-11-2012 Electronically Filed	
201 100 band,					Signed STEPHEN R HUGHES (E-filed)	
					Contact Info (optional)	