					Page 1 of 5
STATE OF OREGON	KLAM	61453	WELL I.D. LABEL# I	L 145398	
WATER SUPPLY WELL REPORT			START CARD #	1056947	
(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)	9/22/2	2022	ORIGINAL LOG #		
(1) LAND OWNER Owner Well I.D.	ĺ				
First Name JOHN & LOUDEAN Last Name ELLIOTT		(9) I OCAT	ION OF WELL (legal d	lescription)	
Company		. ,		• ·	
Address 18610 TAYLOR ROAD			$\frac{\text{TH}}{\text{TW}} = \frac{\text{Twp} 40.00 \text{ S}}{1.4 \text{ ef the }} \text{NW}$		
City KLAMATH FALLS State OR Zip 97603		Sec <u>32</u>	SW 1/4 of the <u>NW</u>	1/4 Tax Lot <u>c</u>	500
(2) TYPE OF WORK X New Well Deepening Conve	ersion	Tax Map Numbe	er" or <u>42.04627900</u>	Lot	DMS or DD
Alteration (complete 2a & 10) Abandonment(co	omplete 5a)	Lat	or <u>-121.558304</u>	<u>J</u>	DMS of DD
(2a) PRE-ALTERATION					DMS or DD
Casing: Casing			\bigcirc	earest address	
		18610 TAYLO	R RD., KLAMATH FALLS, C	JR 97603	
Material From To Amt sacks/lbs Seal:	ļ				
(3) DRILL METHOD		(10) STATIC	C WATER LEVEL		
Image: Strain		(10) 0 11111	Date	e SWL(psi) ·	+ SWL(ft)
Reverse Rotary Other			ell / Pre-Alteration		
		Completed '			192
(4) PROPOSED USE Domestic X Irrigation Community			Flowing Artesian?	Dry Hole?	
Industrial/ Commericial Livestock Dewatering	,	WATER BEARI	NG ZONES Depth wa	ater was first found	d 192.00
Thermal Injection Other	_	SWL Date	From To Est	t Flow SWL(psi)	+ SWL(ft)
	<u> </u>			-	
(5) BORE HOLE CONSTRUCTION Special Standard (A) Depth of Completed Well <u>416.00</u> ft.	Attach copy)	6/15/2022	241 416	500	192
BORE HOLE SEAL	1 /				
	sacks/ amt lbs				
	34 S				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$					
			00		
Calculated		(11) WELL I	LOG Ground Elevatio	n	
How was seal placed: Method A B C D	E		Material	From	То
X Other POURED DRY		Sandy Clay Top	Soil	0	2
Backfill placed from ft. to ft. Material		Brown & Black	Lava	2	150
Filter pack from ft. to ft. Material Size			ava little bit of Red	150	241
			Lava some Blue Streaks	241	256
			Lava some Black Sand	256	370
(5a) ABANDONMENT USING UNHYDRATED BENTONIT	TE	Mostly Black La	ava with Sand Interbeds	370	416
Proposed Amount Actual Amount					
(6) CASING/LINER					
Casing Liner Dia + From To Gauge Stl Plstc					
Shoe Inside Outside Other Location of shoe(s)					
Temp casing Yes Dia From + To					
(7) PERFORATIONS/SCREENS					
Perforations Method					
Screens Type Material		Date Startede	5/7/2022 Com	pleted 6/15/2022	2
Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/			-	
Screen Liner Dia From To width length slots	pipe size	· /	ater Well Constructor Certifi		· 1
			e work I performed on the co of this well is in complianc		
			ndards. Materials used and in		
			mowledge and belief.	Tormation reported	
			-	ate	
		Electise i tuillee			
(8) WELL TESTS: Minimum testing time is 1 hour		Signed			
Pump		<u> </u>			
Yield gal/min Drawdown Drill stem/Pump depth Duration (h	nr)	` ,	r Well Constructor Certificat		
350 6 315 4		I accept response	sibility for the construction, d	eepening, alteration	on, or abandonment
	I	work performed	on this well during the constru	iction dates report	ed above. All work
			ng this time is in compliance		
Temperature 70 °F Lab analysis Yes By			ndards. This report is true to the	ie best of my know	viedge and belief.
Water quality concerns? Yes (describe below) TDS amount 260 From To Description Amount	ppm	License Number	r_ <u>1385</u> Da	ate 9/22/2022	
From To Description Amount	Units				
	┝──┤ ┃		ERT BUCKNER (E-filed)		
	┝──┤ ┃	Contact Info (op	otional)		
	<u> </u>				

ORIGINAL - WATER RESOURCES DEPARTMENT THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: New exempt use wells must be submitted with a map and recording fee.

WATER SUPPLY WELL REPORT -

continuation page

9/22/2022 (2a) PRE-ALTERATION Dia + From То Gauge Stl Plstc Wld Thrd Material From Amt sacks/lbs То (5) BORE HOLE CONSTRUCTION BORE HOLE SEAL sacks/ Dia From То Material From То Amt lbs Calculated Calculated Calculated Calculated FILTER PACK Material Size From То (6) CASING/LINER Stl Plstc Wld Thrd Casing Liner Dia + From То Gauge (7) PERFORATIONS/SCREENS Perf/ Casing/ Screen Scrn/slot Slot # of Tele/ Screen Liner Dia То slots From width length pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Drawdown	Drill stem/Pump dep	th Duration (hr)
-		
	Drawdown	Drawdown Drill stem/Pump dep

KLAM 61453

WELL I.D. LABEL# L START CARD # 1056947 ORIGINAL LOG

Water Quality Concerns

From	То	Description	Amount	Units

(10) STATIC WATER LEVEL

SWL Date	From	То	Est Flow	SWL(psi)	+	SWL(ft)
					-	

(11) WELL LOG

Material	From	То
		L

Comments/Remarks

This is a replacement irrigation well as the original one had to many issues to be able and deepen. I have attached the water right info. The system would not accept the information in (4b) Water Rights. I will be charged the \$300 fee but I feel it should be removed as this will be the well for the existing certificate. WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow KLAM 61453

9/22/2022

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

LOCATION OF WELL

Latitude: 42.04627900 Datum: WGS84 Longitude: -121.55830400 Township/Range/Section/Quarter-Quarter Section: WM40.00S11.00E32SWNW Address of Well: 18610 TAYLOR RD., KLAMATH FALLS, OR 97603


Oregon Water Resources Department 725 Summer St NE, Salem OR 97301 (503)986-0900

OREGON

Well Label: 145398 Printed: September 13, 2022

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor



9/22/2022

Map of Hole

STATE OF OREGON
COUNTY OF KLAMATH
CERTIFICATE OF WATER RIGHT
THIS CERTIFICATE ISSUED TO
GARY D. OREM
HC 62 BOX 18 MERRILL, OREGON 97633
confirms the right to use the waters of ONE WELL in the LOST RIVER BASIN for the purpose of IRRIGATING 16.3 ACRES.
The right has been perfected under Permit G-9243. The date of priority is MARCH 4, 1981. The right is limited to not more than 89.8 GALLONS PER MINUTE or its equivalent in case of rotation, measured at the well.
The well is located as follows:
SW 1/4 NW 1/4, SECTION 32, T 40 S, R 11 E, W.M.; 50 FEET NORTH AND 720 FEET EAST FROM THE WEST 1/4 CORNER OF SECTION 32.
The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.
The right shall conform to such reasonable rotation system as may be ordered by the proper state officer.
A description of the place of use under the right, and to which such right is appurtenant, is as follows:
SW 1/4 NW 1/4, 16.3 ACRES SECTION 32
TOWNSHIP 40 SOUTH, RANGE 11 EAST, W.M.
The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.
WITNESS the signature of the Water Resources Director, affixed JUNE 10, 1991.
/8/ WILLIAM II. YOUNG

Recorded in State Record of Water Right Certificates numbered 65944.

G-10195.LLC

KLAM 61453

Map of Hole

