NOTICE TO WATER WELL CONTRACTOR
The original and first copy APR 2 9 1963 WATER WELL REPORT
of this report are to be
filed with the
STATE ENGINEER, SALEM 1422 filed with the
STATE OF OREGON
STATE ENGINEER, SALEM 10 OREGON
within 30 days from the date
of well completion. State Permit No. G - 24406 263 (11) WELL TESTS: Drawdown is amount water level is lowered below static level J. Pettus (1) OWNER: Name M. Penn Phillips Co. Yield: 500 gal./min. with 80 ft. drawdown after Address Christmas Valley no change in static lefel after test" Silver Lake, Oregon (2) LOCATION OF WELL: ft. drawdown after 3 Bailer test 5 1 bourge in. with Driller's well number Coly No 3 Artesian flow g.p.m. Date Was a chemical analysis made?

Yes X No Temperature of wate? Bearing and distance from section or subdivision corner Easterly 100', Lot 18, Block 6, Unit 5 (12) WELL LOG: Depth drilled 650 ft. Depth of completed well 650 Christmas Valley, Section 17. TS27S. Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. R17EWM MATERIAL FROM ō 2 top soil (3) TYPE OF WORK (check): $\overline{2}$ 20 light brown clay Well Abandon [Deepening [Reconditioning [20 50 andonment, describe material and procedure in Item 12. tuff brown clay tuff bed rock (4) PROPOSED USE (check): (5) TYPE OF WELL: dark brown with some Rotary | Driven | Domestic 🗌 Industrial 🗎 Municipal 🛣 50 250 black cinders Cable Jetted Irrigation □ Test Well □ Other light brownish gray, fine Clau 250 385 Bored light brownish gray withelac (6) CASING INSTALLED: Threaded | Welded | 385 460 some pumice 12 " Diam from 0 ft to 63 3" ft. Gage 1 460 470 soft hard rock, pourous " "Diam, from _____ft. to _____ft. Gage 470 625 clay with some pumice gravel ..." Diam. from _____ ft. Gage ... 625 640 pourous rock 640 650 very hard tight rock (7) PERFORATIONS: Perforated? | Yes | No Type of perforator used Size of perforations in. by perforations from _____ ft. to ___ perforations from ft. to perforations from ft. to perforations from ft. to (8) SCREENS: Well screen installed Yes No Manufacturer's Name Model No. 19 63 Slot size Set from ft. to Work started Jan 20 163. Completed Mar 20 ____Set from _____ ft. to _____ Date well drilling machine moved off of well Diam, Slot size (9) CONSTRUCTION: (13) PUMP: Well seal-Material used in seal Manufacturer's Name Depth of seal 63 & 30 ft. Was a packer used? no Diameter of well bore to bottom of seal _____in. Water Well Contractor's Certification: Were any loose strata cemented off? 🗗 Yes 🗌 No Depth This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used?

Yes
No Was well gravel packed? | Yes 3 No Size of gravel: Gravel placed from _____ft. to _____ft. NAME Gordon Goeres (Person, firm or corporation) (Type or print) Did any strata contain unusable water? 🗆 Yes 🛣 No Address Christmas Valley, Silver Lake, Ore. Type of water? Depth of strata Bentonite at 60 Method of sealing strata off cement at 30! Drilling Machine Oberator's License No. . (10) WATER LEVELS: Mar 20,63[Signed] ... Static level 24 ft. below land surface Date

lbs. per square inch Date

Artesian pressure