NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97 10 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

JUN3 1975 State Well No. 275/17E-22C

(Please type or print) STATE ENGINEER
(Do not write above this line SALEM, OREGON

(1) OWNER: Puckett - Golden Rule Farms	(10) LOCATION OF WELL: County Lake Guinges well numbers	ber #4	
Address Christmas Valley, Wregow	5W 14 5 K Section 22 T. 27.5 R.		W.M.
	Bearing and distance from section or subdivision		
(2) TYPE OF WORK (check):	Bearing and distance from section of subdivision	corner	
New Well ★ Deepening □ Reconditioning □ Abandon □			
If abandonment, describe material and procedure in Item 12.	(11) YEAR PER TOTAL CO. I. I. I.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well	- ~	
	Depth at which water was first found	18	ft.
Rotary Driven Domestic Industrial Municipal Domestic Municipal	Static level ft. below land surf	face. Date 5	<u>-1-75</u>
Dug ☐ Bored ☐ Irrigation X Test Well ☐ Other ☐	Artesian pressure lbs. per square i	nch. Date	
CASING INSTALLED: Threaded Welded Welded Welded Tolam from ft. to Tolam ft. Gage 250 Threaded Welded Tolam from ft. to ft. Gage Tolam from ft. to ft. Gage Perforated? Yes No.	(12) WELL LOG: Diameter of well below the describe color, texture, grain size and and show thickness and nature of each stratum a with at least one entry for each change of formation position of Static Water Level and indicate princip	d well 22 d structure of rand aquifer pen. Report each	materials; enetrated, change in
pe of perforator used Acetylene	MATERIAL	From To	SWL
Size of perforations 3/9 in. by 1 in.	240	0 B	
300 perforations from 20 ft. to 70 ft.	Class Shacin	8 120	13
		20 200	15
perforations from	Clay, Brown - Some Sand, BIK. COME		_
perforations from ft. to ft.	Sand, course, BIK. Water bearing		2/6
(7) SCREENS: Well screen installed? Yes X No	MAN SICONDE; DIX MERE ERREIGHE	.,,	
Manufacturer's Name			
Type Model No			
Diam Slot size Set from ft. to ft.			
Diam, Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? ☐ Yes 💆 No If yes, by whom?			
Yield: gal./min. with ft. drawdown after hrs.	3		<u> </u>
Bar, mar. with 1t. crawdown arect mis.			
Bailer test 3 3 gal./min. with 0 ft. drawdown after / hrs.			
Artesian flow g.p.m.			
perature of water Depth artesian flow encountered ft.	Work started /-28 1975 Completed	may 1	19 75
(0) CONCERNICATION	Date well drilling machine moved off of well	mail	19 75
(9) CONSTRUCTION:		TRY '	<u> </u>
Well seal—Material used OFT and Ecment Well sealed from land surface to B/2 ft. Diameter of well bore to bottom of seal	Drilling Machine Operator's Certification: This well was constructed under my dimensional materials used and information reported above the best knowledge and belief.	irect super ove are true	vision.
Diameter of well bore below seal	[Signed] Francis F. Birchan Da	te Macan	19 73
Number of sacks of cement used in well seal Sacks	(Drilling Machine Operator)		
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No\$		
Brand name of bentonite	Water Wall Contractor's Contract		
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:	_	
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and ibelief.		
Was a drive shoe used? ☐ Yes No Plugs Size: location ft.	1 ((in 1)/:	Hine
Did any strata contain unusable water? 🗌 Yes 🙀 No	(Person, firm or corporation)	(Type or pri	int)
Type of water? depth of strata	Address Box 104 Be	nd . (ove.
Method of sealing strata off	10)44 (44 (1		-1
Was well gravel packed? Yes No Size of gravel:	[Signed] (Water Well Contractor	Manne	non
Gravel placed from the to the state of gravel.	Contractor's License No. 474 Date 771	111 /	1075