

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

*Lake
2002*

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line) **SALEM, OREGON**

RECEIVED

FEB 17 1981

State Well No. 385/20E-806

State Permit No. _____

(1) OWNER:

Name Maxwell Cattle Inc.
Address Rt 6 Lakeview One 97630

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
 Jetted
 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded
16 Diam. from 300 ft. to _____ ft. Gage _____
16 " Diam. from 0 ft. to 300 ft. Gage 250
16 " Diam. from 0 ft. to 23 ft. Gage 275

(6) PERFORATIONS:

Perforated? Yes No.

Type of perforator used factory
Size of perforations 1/8 in. by 2 1/2 in.
8640 perforations from 23 ft. to 300 ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom? Water State Pump Co
Yield: 1500 gal./min. with 136 ft. drawdown after 15 hrs.
" " " " "
" " " " "
Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow _____ g.p.m.
Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used Cement
Well sealed from land surface to _____ ft.
Diameter of well bore to bottom of seal 16" in.
Diameter of well bore below seal 16 in.
Number of sacks of cement used in well seal 1 1/2 yds. sacks
How was cement grout placed? Grout pump

Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County LAKE Driller's well number _____
NW 1/4 SW 1/4 Section 8 T. 38 R. 20 W.M. _____
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 62 ft.
Static level 6 ft. below land surface. Date 11/23/78
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 16"
Depth drilled 500 ft. Depth of completed well 500 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top Soil	0	5'	
Loose Gravel-Sand	5	62	
Clay + Sand	62	81	
Various Colored Clay & Sand	81	480'	
Black Sand	480	500'	

RECEIVED

AUG 1 1980

WATER RESOURCES DEPT
SALEM, OREGON

Work started Sept 10 1978 Completed 11/21 1978
Date well drilling machine moved off of well 11/23 1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] C. Enloe Date 11/25, 1978
(Drilling Machine Operator)

Drilling Machine Operator's License No. 316

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name C. Enloe Drilling
(Person, firm or corporation) (Type or print)

Address P.O. Box 323 Davis, Ca. 96023

[Signed] Carl V. Enloe
(Water Well Contractor)

Contractor's License No. 503 Date 12/10, 1978