NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be

filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT CEIVED

STATE OF OREGON

APR 2 8 1976

CALEM OPECON

State Well No. 395/19E-13

(Please type or print) (Do not write above this The? RESOURCES DEFT.

	(10) LOCATION OF WELL:		
(1) OWNER:	. ,		
Name Elmer Peterson	County Long	400	W.M.
Address Rte. 6, Box 884, Lakeview, OR 97630			77.242
	Bearing and distance from section or subdivisio	n corner	
(2) TYPE OF WORK (check):	5 miles west of Lakeview, OR		
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	35	ft.
Retary Driven Domestic X Industrial Municipal D	Static level 8 ft. below land st	urface. Date 4/	<u>/26/76</u>
e K Jetted	Artesian pressure lbs. per square inch. Date		
(5) CASING INSTALLED: Threaded Welded X	(12) WELL LOG: Diameter of well below casing6		
6 "Diam. from 0 ft. to 80 ft. Gage .250	Depth drilled 100 ft. Depth of completed well 100 ft.		
" Diam. from	Formation: Describe color, texture, grain size and structure of materials;		
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratum and aquifer penetrated,		
	with at least one entry for each change of format position of Static Water Level and indicate princ	cipal water-bearin	g strata.
Perforated? XXYes \(\square\) No.		From To	swl
Type of perforator used torch-cut	MATERIAL		
Size of perforations 1/8 in. by 6 in.	soil zone, sandy	<u> </u>	
60 perforations from 60 ft. to 70 ft.	clay, brn.		
perforations from	clay & gravel, brn.	14 18	
perforations from ft. to ft.	clay, blue	18 30	
	gravel, fine, blue	30 42	
(7) SCREENS: Well screen installed? ☐ Yes ☐ XNo	clay & gravel, blue	42 65	8
Manufacturer's Name	gravel, fine, blue	65 70 70 100	
Type Model No.	clay, blue	70 100	
Diam. Slot size Set from ft. to ft.		 	-
Diam, Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Yas a pump test made? Y Yes \(\subseteq No \) If yes, by whom? driller		-	
Yield: 15 gal./min. with 4 ft. drawdown after 3 hrs.		+	
" " "		 	
The second secon		 	
" hro		 	
Bailer test gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m.	Work started 4/20 19 76 Complete	ted 4/26	19 7
Temperature of water 48 Depth artesian flow encountered ft.	Work started 4/20 19 70 Complete Date well drilling machine moved off of well	4/27	19 7
(9) CONSTRUCTION:	Drilling Machine Operator's Certification		
Well seal—Material used cement w/8" conductor pipe	This well was constructed under my	/ direct supe	vision
Well sealed from land surface toft.	Materials used and information reported best knowledge and belief.	i above are tru	e to m
Diameter of well bore to bottom of seal 12 in.	best knowledge and benefit.	Data 4/26	1076
Diameter of well bore below seal	[Signed] Schaffen Machine Operator)	Date	, 10
Number of sacks of cement used in well sealsacks	Drilling Machine Operator's License No.	45	
Number of sacks of bentonite used in well seal sacks			
Brand name of bentonite	Water Well Contractor's Certification:		
Number of pounds of bentonite per 100 gallons of water	This well was drilled under my jurisd true to the best of my knowledge and be	diction and this elief.	report i
Was a drive shoe used? KXYes \(\Bar{\text{No}}\) No Plugs Size: location ft.	Name Jack Stooksberry, Jr. (Person, firm or corporation)		
Did any strata contain unusable water? 🗆 Yes 🗗 📉 Vo	(Person, firm or corporation)	Type or pr OD OD CO	int)
Type of water? depth of strata	Address Rte. 2, Box 47, Lakevie	w, or 2/030	
Method of sealing strata off	[Signed] Jack Atrokeber	2 92	
Was well gravel packed? Yes Kno Size of gravel:	[Signed] ach Hafelen (Water Well Con	tractor)	
Was well granter []	Contractor's License No. 211 Date	4/26	, 19.7
Gravel placed from ft. to ft.	<u></u>		