## WATER WELL REPORT STATE OF OREGON

Jake 224)

## RECEIVED 255/18E-3C NOV 51981

WATER RESOURCES DEPT
SALEM, OREGON deepened

| (1) OWNER:   | (10) LOCATION OF WELL:  |
|--|---|
| Name Cliver Course   | County Driller's well number  |
| Address G' Ba 273  | 4 5 W4 Section 3 T. 18 S. R. 18 E. W.M.   |
| City Chus mas Vally State aleger   | Tax Lot # Lot Blk Subdivision   |
| (2) TYPE OF WORK (check):  | Address at well location: Spm   |
| New Well □ Deepening  Reconditioning □ Abandon □   | (11) WATED I EVEL COMPLETE I  |
| If abandonment, describe material and procedure in Item 12.  | (11) WATER LEVEL: Completed well.   |
| (3) TYPE OF WELL: (4) PROPOSED USE (check):  | Depth at which water was first found 35 / ft.   |
|  | Static level 5.5 ft. below land surface. Date   |
| Rotary Air 🚺 Driven 🗆 Domestic 🗀 Industrial 🗀 Municipal 🗇  Roberty Mud 🗆 Dug 🖂 Irrigation 🖂 Test Well 🖂 Other 🖂  | Artesian pressure Ibs. per square inch. Date  |
| □ Bored □ Thermal: Withdrawal □ Reinjection □  | (12) WELL LOG: Diameter of well below casing  |
| (5) CASING INSTALLED: Steel   Plastic   Plastic  | Depth drilled 45 ft. Depth of completed well 38 ft.   |
| Threaded   | Formation: Describe color, texture, grain size and structure of materials; and show   |
|  | thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level |
| "Diam. from  | and indicate principal water-bearing strata.  |
| LINER INSTALLED:   | MATERIAL From To SWL  |
|  | # Black Sand 185 311  |
| (0) DTDTOD ( TTO)  | Inn SAND STONE 311 340  |
| (6) PERFORATIONS: Perforated? ☐ Yes ☐ No Type of perforator used   | GRAY STONE 340 351  |
| Size of perforations in. by in.  | BLACK LAVA ROCK WA 351 288  |
|  | 1000  |
| perforations fromft. toft.   |   |
| perforations from  |   |
| perforations from ft. to ft.   |   |
| (7) SCREENS: Well screen installed?   Yes INO  |   |
| Manufacturer's Name  |   |
| Type Model No.   |   |
| Diam. Slot Size Set from ft. to ft.  |   |
| Diam. Slot Size Set from ft. to ft.  |   |
| (8) WELL TESTS: Drawdown is amount water level is lowered below static level   |   |
| s a pump test made?  Yes No If yes, by whom?   |   |
| Yield: gal/min. with ft. drawdown after hrs.   |   |
| 11 " " "   |   |
| Air test $1200$ gal/min. with drill stem at $380$ ft. / hrs.   |   |
| Bailer test gal/min. with ft. drawdown after hrs.  | ÷   |
| esian flow g.p.m.  |   |
| Temperature of water Depth artesian flow encounteredft.  | Work started 9/18 198/ Completed 9/19 198/  |
| (9) CONSTRUCTION: Special standards: Yes \( \text{No } \text{No } \text{V}   | Date well drilling machine moved off of well 9/31 1991  |
| Well seal—Material used  | Drilling Machine Operator's Certification:  |
| Well sealed from land surface to   | This well was constructed under my direct supervision. Materials used   |
| Diameter of well bore to bottom of sell  | and information reported above are true to my best knowledge and belief.  |
| Diameter of well hore keld alin.   | [Signed] Machine Operator) Date / 1.20, 198.  |
| Number of sacks of cement used in well seal sacks  | Drilling Machine Operator's License No  |
| How was ament grout placed?  |   |
| The state of the s | Water Well Contractor's Certification:  This well was drilled under my jurisdiction and this report is true to  |
| Was pump installed?  | the best of my knowledge and belief.  |
| Was a drive shoe used?  \( \text{Yes } \text{No } \text{Plugs } \text{Size: location } \text{ft.} \)   | Name MEL SEARCH WELL WRILLING   |
| Did any strata contain unusable water?   Yes No  | Address   |
| Type of Water? depth of strata   | not 11  |
| Method of sealing strata off   | [Signed] // All All Control World World World World Control   |
| Was well gravel packed? ☐ Yes DNo Size of gravel:  | Contractor's License No. 56. 2 Date   |
| Gravel placed fromft. toft.  |   |