WATER WELL REPORT STATE OF OREGON

1005 State Well No.

	,
395/19E-32/	b

(1) OWNER:	(10) LOCATION OF WELL:	1
Name Walter J. Albertson	County Lake Driller's well n	number Landowne
Address HC 60 Box 2220	NW 45W 4 Section 32 T. 395	
City La Keview State OR	Tax Lot # 600 Lot Blk	Subdivision
(2) TYPE OF WORK (check):	Address at well location: HC 60 Box	2329
in the contract of the contrac	La Keview. OR	
New Well Deepening □ Reconditioning □ Abandon □	(11) WATER LEVEL: Completed we	•-
If abandonment, describe material and procedure in Item 12.	-	_
(3) TYPE OF WELL: (4) PROPOSED USE (check):		n n / /n /s
Rotary Air Driven Domestic Industrial Municipal		nd surface. Date 6/7/8 square inch. Date
Rotary Mud Dug Irrigation Test Well Other		square men. Date
C Bored Thermal: Withdrawal Reinjection	(12) WELLLOG: Diameter of well below ca	
(5) CASING INSTALLED: Steel Plastic	Depth drilled 525 ft. Depth of completed well 524 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry	
Threaded Welded Welded		
	for each change of formation. Report each change in po	
" Diam. from	and indicate principal water-bearing strata.	
LINER INSTALLED:	MATERIAL	From To SWL
	102 Sell	0 2
	Clay-Brown	2 28
(6) PERFORATIONS: Perforated? ☐ Yes No Type of perforator used		25 26
		26 40
		40 75 22'
perforations from		75 77
perforations from	Clay Blue & BIK Sond	77 95
perforations from ft. to ft.		95 102
(7) SCREENS: Well screen installed? Yes No		102 118
Manufacturer's Name	21/6	118 125 241
Type Model No.	Blue Clay + BIE Sand	125 163
Diam. Slot Size Set from ft. to ft.	Course Gravel-Brown	163 165 29'
Diam. Slot Size Set from ft. to ft.		165 177
(8) WELL TESTS: Drawdown is amount water level is lowered	Clay-Blue	77 205 24
below static level	CHANTE	205 224 26
a pump test made? Yes \(\sigma\) No If yes, by whom? Land Owner		24 240
Held: 1000 gal./min. with 64 ft. drawdown after 3 hrs.		40 285
п и и		285 295
Air test gal./min. with drill stem at ft. hrs.		295 326 29
Bailer test gal./min. with ft. drawdown after hrs.		326 358
sian flow g.p.m.	Continued on Attached Shee	+
Numberature of water Depth artesian flow encountered ft.	Work started January 2019 82 Completed June 7 198	
(9) CONSTRUCTION: Special standards: Yes □ No	Date well drilling machine moved off of well The S 1984	
Well seal-Material used Portland Cement	Drilling Machine Operator's Certification:	
Well sealed from land surface to $92Ft$ ft.	This well was constructed under my direct sup	compicion Materials
District His control of the Holle of	and information reported above and trace to my bes	st knowledge and belief.
Diameter of well bore to bottom of seal	[Signed] Alatty / Whithor	Date July 1 1984
Number of sacks of cement used in well seal 35 Sacks 10" to 573 sacks	(Drilling Machine Operator)	
How was cement grout placed? Pumped from battom	Drilling Machine Operator's License No. Land Owner	
to top	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction a	and this report is true to
Was pump installed?	the best of my knowledge and belief.	
Was a drive shoe used? X Yes □ No Plugs Size: location ft.	Name(Person, firm or corporation)	//Three
Did any strata contain unusable water? Yes No	Address	
Type of Water? depth of strata		
Method of sealing strata off	[Signed] (Water Well Contractor	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Was well gravel packed? Yes No Size of gravel:	Contractor's License NoDate	
Gravel placed from ft. to ft.		, 17
	·-··	

WATER WELL REPORT STATE OF OREGON

Page RECEIVE D JUL 9 1985 WATER RESOUR

State Well No. 395/196-32Cb

THE RESOURCE	S n-	
(1) OWNER: SALEM, OREGO	N10) LOCATION OF WELL:	
Name WALter T. Albertson	County Driller's well:	•
Address HC. 60 Rox 2220	County Driller's well:	
City / AKEVIEW State OK	Tax Lot # Lot Blk	R. , W.M. Subdivision
	Address at well location:	Subdivision
(2) TYPE OF WORK (check):	1 Add Coo at Well location.	4,000
New Well \square Deepening \square Reconditioning \square Abandon \square	(11) MACHET LENGTH CL. 1. 1	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	ell.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	ft.
	Static level ft. below land surface. Date	
Rotary Air	Artesian pressure lbs. per	r square inch. Date
☐ Bored ☐ Thermal: Withdrawal ☐ Reinjection ☐	(12) WELL LOG: Diameter of well below of	easing
(5) CASING INSTALLED: Steel Plastic	Depth drilled ft. Depth of c	
(5) CASING INSTALLED: Steel Plastic Threaded Welded	Formation: Describe color, texture, grain size and stru-	cture of materials: and show
	thickness and nature of each stratum and aquifer penet for each change of formation. Report each change in p	rated, with at least one entry
	and indicate principal water-bearing strata.	osition of Static Water Level
LINER INSTALLED:	MATERIAL	The state of the s
		From To SWL
	CLAY-Blue Y-BIK SAND	3 <i>58</i> 377 <i>29</i>
(6) PERFORATIONS: Perforated? □ Yes □ No	SAND & GRAVEL - BIK	377 380
Type of perforator used	ROCK BIK - Drop to 15" hole	380 385
Size of perforations in. by in.	- Clay Blue	385 400
perforations from ft. to ft.	SAND + SMALL GRAVE - WATING	400 415
perforations from ft. to ft.	Clay- Brown	415 431
perforations fromft. toft.	SAND-COURSE. Fine	431 436
	CAU & SAND	436 445
(7) SCREENS: Well screen installed? Yes No	BOCK-HAID RIK	445 454
Manufacturer's Name	Clau Plue SA-10-BK	454 472
Type Model No	2/1/2	473 502 321
Diam Slot Size Set from ft. to ft.		502
Diam. Slot Size Set from ft. to ft.		502 525 321
December is amount water level in leavened	BULK DIK	302 305 00
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	sta dillion	525
Wes a pump test made? ☐ Yes ☐ No If yes, by whom?	stop drilling	- Pas
d: gal/min. with ft. drawdown after hrs.		
" " "		
Air test gal./min. with drill stem at ft. hrs.	Y = 1	
Bailer test gal./min. with ft. drawdown after hrs.	. —————————————————————————————————————	
Actesian flow g.p.m.		
aperature of water Depth artesian flow encountered ft.		
	Work started 19 Completed	d 19
(9) CONSTRUCTION: Special standards: Yes □ No □	Date well drilling machine moved off of well	19
Well seal—Material used	Drilling Machine Operator's Certification:	
Well sealed from land surface to ft.	This well was constructed under my direct su	pervision. Materials used
Diameter of well bore to bottom of seal in.	and information reported above are to be the pay be	st knowledge and belief.
Diameter of well bore below sealin.	[Signed] Malling Magnine Operator)	Date / 19.84
Number of sacks of cement used in well seal sacks		
How was cement grout placed?	Drilling Machine Operator's License No.	downer
	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction	and this report is true to
Was pump installed? Type HP Depth ft.	the best of my knowledge and belief.	-
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.	Name(Person, firm or corporation)	// / / / / / / / / / / / / / / / / / /
Did any strata contain unusable water? Yes No	·	• • •
Type of Water? depth of strata	Address	***************************************
Method of sealing strata off	[Signed] (Water Well Contracto	
Was well gravel packed? ☐ Yes ☐ No Size of gravel:		
TIME TO BEAT OF PARTIES. L. 100 L. 110 DIRE OF BEATER.	Contractor's License No	, 19

Gravel placed from ft. to ft.