NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report

are to be filed with the

VATER RESOURCES DEPARTM SALEM, OREGON 97310 within 30 days from the date of well completion.

are to be filed with the WATER WELL REPORT WATER RESOURCES DEPARTMENT C F VESTATE OF OREGON

JUL 2 6 1977 (Do not write above this line)

Take 309

State Well No. 265/148-10a

State Permit No.

WATER RESOURCES DEPT.	
(1) OWNER: SALEM. OPEGON	(10) LOCATION OF WELL:
Name KEN KRUSE	County LAKE Driller's well number W
Address	NE 14 SE14 Section / T. 765 R. 14E W.M.
FORT KOCK DE 97735	Bearing and distance from section or subdivision corner 1710 'W
(2) TYPE OF WORK (check):	+ 1283W OF SE CONNER SEC /
New Well Deepening Reconditioning Abandon	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.
Rotary Driven Domestic Cl Industrial Cl Municipal Cl	
Cable	A. Schow land Surface. Date & FO
	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded D	(12) WELL LOG: Diameter of well below casing 12"
"Diam. from ft. to ft. Gage ft	Depth drilled 326 ft. Depth of completed well 325 ft.
"Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials:
Diant. 110th	and show thickness and nature of each stratum and aquifer penetrated
PERFORATIONS: Perforated? Yes No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	
perforations from ft. to ft.	BEN CLAY 271 292
perforations fromft. toft.	BRN CLAY & BLKSAND W/13 292 249
perforations fromft. toft.	HB RED LAVA ROCK W/S 299 302
(7) SCDEENS.	HD BLACK ROCK BRKN NB 302 325 20
West porgett Histories; 162 140	
Manufacturer's Name Model No	
Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Yes 🗆 No. If yes, by whom? & いんさん	
Vield: 500 gal./min. with 70 ft. drawdown after 2 hrs.	
" " " " " " " " " " " " " " " " " " " "	
" " "	
Bailer test gal./min. with ft. drawdown after hrs.	Name of the state
Artesian flow g.p.m.	
perature of water 50 Depth artesian flow encountered ft.	
	Work started 6-17 1977 Completed 6-20 197)
(9) CONSTRUCTION:	Date well drilling machine moved off of well 6-20 1977
Well seal-Material used LND:574RB-D	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used and information reported above are true to my
Diameter of well bore to bottom of seal in.	best knowledge and belief,
Diameter of well bore below sealin.	[Signed] W. W. Williams Date 6-30, 1977
Number of sacks of cement used in well seal	Drilling Machine Operator) Drilling Machine Operator's License No. 864
content grout practure	
	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is
Was a drive shoe used? 🗌 Yes 🗍 No Plugs Size: location ft.	true to the pest of my knowledge and belief.
Did any strata contain unusable water? Yes 🗷 No	Name (Person, firm, or gorporation) (Type or print)
Type of water? depth of strata	Address 538 W Lexitorial Colynord
Method of sealing strata off	P IJ/601
Was well gravel packed? [Yes No Size of gravel:	[Signed] (Water Well Contractor)
Gravel placed fromft. toft.	Contractor's License No. Date 1977
AU.	19