NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT
WATER RESOURCES DEPARTMENT
SALEM, OREGON 97310
(Please type or print)

(Please type or print)

within 30 days from the date of well completion.

/State Well No. 265/14E-3 b

APR201970 not write above this line WATER RESOURCES DEPT.

State Permit No. 6-81578	3
--------------------------	---

(1) OWNER: A CALEM. OREGON	(10) LOCATION OF WELL:
Name Veneta Branch	County Take Driller's well number 40
Address Jan Del Fl Rock, Bregon	SCINE NW Section 3 T. 268 R. 14E W.M.
(a) TYPE OF THE PARTY (1)	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	
New Well Deepening Reconditioning Abandon	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Donth at which water was find found
Rotary Driven Domestic Industrial Municipal D	
Cable	
	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing
14 " Diam. from 0 ft. to 13.7 ft. Gage, 250	Depth drilled /75 ft. Depth of completed well /75 ft.
" Diam. from ft. Gage	Formation: Describe color, texture, grain size and structure of materials;
	and show thickness and nature of each stratum and aquifer penetrated
PERFORATIONS: Perforated?   Yes No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	
	MATERIAL From To SWL
<b>8</b> - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	Brown Clay
perforations from ft. to ft	- Clay
perforations from ft. to ft.	prount red Sand thea 3 48
	pluc day 48 5.3
(7) SCREENS: Well screen installed?   Yes PNo	proundred sand negative 53 68
Manufacturer's Name	blue clay
Type Model No.	Green claustour 67 16
Diam. Slot size Set from ft. to ft.	1 ray 69 m 2 son a rave 16 120
DiamSlot size Set from ft. to ft.	Green day 2 course sant 120 134
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	med hay
Was a pump test made? 🔲 Yes 🔟 No If yes, by whom?	red obsour proteen han 140 15) 21
Yield: gal./min. with ft. drawdown after hrs.	+ cindeus + large colles
" "	water bearing
" " " "	- brown basalt brotton hard 152 154
Bailer test 1400 gal./min. with ft. drawdown after hrs.	- gray basalt- nava 154 177
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started apr. 7 1979 Completed apr. 13 1979
(9) CONSTRUCTION:	7
	7
Well seal—Material used	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct supervision.  Materials used and information reported above are true to my
Diameter of well bore below seal in.	best knowledge and belief
Virginian of a large 1	[Signed] Atom Salema Date april 3, 1929
How was cement grout placed?	Drilling Machine Operator's License No
V	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is
Was a drive shoe used?   Yes D No Plugs Size: location ft.	true to the best of my knowledge and belief.
Did any strata contain unusable water?   Yes No	Name Lyle Claus
Type of water? depth of strata	Address Ad 3 Gox /2 2 X William (Type or print)
Aethod of sealing strata off	I A A A A A A A A A A A A A A A A A A A
1	[Signed] Tyle A. aldams 7/123
7.1	(Water Well Contractor)  Contractor's License No. 190 Data 13 1975
ravel placed from	Date 110. 9.1
(USE ADDITIONAL SH	EETS IF MECESCADA