

WATER WELL REPORT

RECEIVED

STATE OF OREGON

AUG 18 1976

State Well No.

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

(Please type or print)

(Do not write above this line)

State Permit No. 262/14E13db

Lake 345

(1) OWNER:

Name Ken Kruse
Address Fort Rock Oregon

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

(4) PROPOSED USE (check):

Rotary Driven
Cable Jetted Domestic Industrial Municipal
Dug Bored Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded

" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? Yes No.

Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?
ft. Drawdown: gal./min. with ft. drawdown after hrs.
" " " " " " " " " "
" Blowing 1500 GPM 7' " 1 "
Bailer test gal./min. with ft. drawdown after hrs.
" " " " " " " " " "
Artesian flow g.p.m.
Temperature of water 60 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal-Material used grout undisturbed
Well sealed from land surface to ft.
Diameter of well bore to bottom of seal in.
Diameter of well bore below seal 8 in. to 305'
Number of sacks of cement used in well seal sacks
Number of sacks of bentonite used in well seal sacks
Brand name of bentonite
Number of pounds of bentonite per 100 gallons of water lbs./100 gals.
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Lake Driller's well number
NW 1/4 SE 1/4 Section 13 T. 26S R. 14E W.M.
Bearing and distance from section or subdivision corner
1340' N & 1340' W of SE corner Sec 13

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft.
Static level 13 ft. below land surface. Date 7/16/76
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 8

Depth drilled 305 ft. Depth of completed well 305 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
congl (WB)	210	215	
brkn gray rock (WB)	215	305	13

Work started 7/9 19 76 Completed 7/16 1976
Date well drilling machine moved off of well 7/16 1976

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] W. J. Williams Date 8/10, 1976
(Drilling Machine Operator)

Drilling Machine Operator's License No. 864

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Crawford Well Drilling
(Person, firm or corporation) (Type or print)

Address 3626 NW Coyner Redmond, Ore

[Signed] John E. Johnson
(Water Well Contractor)

Contractor's License No. 595 Date 8/10, 1976