WATER WELL REPORT STATE OF OREGON

JUN 21 1988 7416

State Well No. 1025

State Permit No. 205/18E35

WATER RESOURCES DE	27	
(1) OWNER: SALEM. OREGON	(10) LOCATION OF WELL:	
Name Richard C. Smith	County Lake Driller's well nur	nber
Address 4453 is THAYE. N.E.	CHEST SEY, SW Section 25 T. 265 R.	18E W.M.
City SAL-	Tax Lot # Lot Blk	Subdivision
9772	Address at well location: Chinter RD 0	
(2) TYPE OF WORK (cneck):		
New Well Deepening □ Reconditioning □ Abandon □	(11) WATER LEVEL: Completed well	_
If abandonment, describe material and procedure in Item 12.	Depth at which water was first found	122 ft.
(3) TYPE OF WELL: (4) PROPOSED USE (check):		surface. Date 5 - 30 - 88
Rotary Air Driven Domestic Dindustrial Municipal	Artesian pressure lbs. per square inch. Date	
Rotary Mud		, all
	(12) WELL LOG: Diameter of well below casi Depth drilled ft. Depth of com	-
(5) CASING INSTALLED: Steel Plastic	Depth drilled CO ft. Depth of com Formation: Describe color, texture, grain size and structu	re of materials; and show
Threaded	thickness and nature of each stratum and aquifer penetrat	ed, with at least one entry
"Diam from ft. to ft. Gauge	for each change of formation. Report each change in posi and indicate principal water-bearing strata.	tion of Static Water Level
C		
LINER INSTALLED:		From To SWL
N.O" Diam. from	Top Scil SANDY BRN	0 3
(6) PERFORATIONS: Perforated? ☐ Yes 💆 No	DATOMITE	3 47
Type of perforator used	Chay Spay	17 122 211
Size of perforations in. by in.	SAND FINE BLACK	22/25 3/
	CLAY CARAGE	25 /93
perforations from , ft. to	Prince Course !	8/ 7/6 5/
perforations from ft. to ft.	Charles Great	76 2 00
(7) SCREENS: Well screen installed? Yes You		-
Manufacturer's Name	CASING IS 1' Above GROUNCE	Level
Type Model No	Carsing 15 - 1750 the Thomas	
$eq:continuous_set_from_set_fro$	This Well To Be despe	sed AT
<u>Diam.</u> <u>Slot Size Set from ft. to ft. to ft. to</u>	A LATER DATE BY DWWEN	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? Yes No If yes, by whom?	-	
Yield: gal/min. with ft. drawdown after hrs.		
A		
Air test gal/min. with drill stem at ft. hrs. Bailer test gal/min. with ft. drawdown after / hrs.		
Bailer test / gal/min. with ft. drawdown after hrs. Artesian flow g.p.m.		
Temperature of water 550 Depth artesian flow encountered ft.		
	Work started 3-25 1988 Completed	6-2 1988
(9) CONSTRUCTION: Special standards: Yes \(\text{No B} \) Well seal—Material used \(\text{PORT Land} \)	Date well drilling machine moved off of well	6-2 1988
· · · · · · · · · · · · · · · · · · ·	Drilling Machine Operator's Certification:	
Well sealed from land surface to	This well was constructed under my direct super and information reported above are true to my best	
Diameter of well bore below seal	[Signed] (Drilling Machine Operator)	
Number of sacks of cement used in well seal	(Drilling Machine Operator)	
How was cement grout placed? Plan And	Drilling Machine Operator's License No. 10.03	
100 was content growt places. Processing the second	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction as	nd this report is true to
Was pump installed?	the best of my knowledge and belief.	•
Was a drive shoe used? ☐ Yes ☐ Yes ☐ Plugs Size: location ft.		(Type or print)
Did any strata contain unusable water? Yes No	Address P.O. Box 100 Christmas	A / 1
Type of Water? depth of strata	00 0011	9764
Method of sealing strata off	[Signed] (Water Well Contractor)	
Was well gravel packed? ☐ Yes ☑No Size of gravel:	Contractor's License No. 65.7. Date	6-3, 1988
Gravel placed from		