

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

WATER WELL REPORT

RECEIVED

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No. 275/157-14

APR 20 1976

State Permit No.

WATER RESOURCES DEPT. SALEM, OREGON

(1) OWNER:

Name CHAS Rymsey Address STAR RT SILVER LAKE, OREGON

(2) TYPE OF WORK (check):

New Well [x] Deepening [ ] Reconditioning [ ] Abandon [ ]

(3) TYPE OF WELL:

Rotary [x] Cable [ ] Dug [ ] Driven [ ] Jetted [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [x] Test Well [ ] Other [ ]

(5) CASING INSTALLED:

10" Diam. from 0 ft. to 20 ft. Gage 2.50

(6) PERFORATIONS:

Type of perforator used Size of perforations in. by in. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [x] Yes [ ] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [x] Yes [ ] No Yield: gal./min. with ft. drawdown after hrs. Bailor test 600+ gal./min. with 116 ft. drawdown after 3 hrs.

(9) CONSTRUCTION:

Well seal—Material used Cement Well sealed from land surface to 18 ft. Diameter of well bore to bottom of seal 13 in. Diameter of well bore below seal 10 in. Number of sacks of cement used in well seal 6 sacks Brand name of bentonite Number of pounds of bentonite per 100 gallons of water lbs./100 gals. Was a drive shoe used? [x] Yes [ ] No Plugs Size location ft. Did any strata contain unusable water? [x] Yes [ ] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [x] Yes [ ] No Size of gravel: Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County LAKE Driller's well number 1/4 Section 14 T. 27s R. 15 E W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 208 ft. Static level 164 ft. below land surface. Date 4/12/76 Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 10 Depth drilled 297 ft. Depth of completed well 297 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include SOIL, BASALT, BLACK, Cinders, Red, Cong. rock, Red, black, w/QUARTZ, water STRATUM, BASALT, BLACK, Cong. Cinders, yellow Qtz, Pumis, Red cinders, WATER STRATUM.

Work started 3/30 1976 Completed 4/12 1976 Date well drilling machine moved off of well 4/12 1976

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Percy W. Mutschler Date 4/19, 1976 Drilling Machine Operator's License No. 80

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name Mutschler Well Drilling (Person, firm or corporation) (Type or print) Address 7555 N.W. OAK Creek Dr. Corv. Ore. [Signed] Percy W. Mutschler (Water Well Contractor) Contractor's License No. 237 Date April 19, 1976