The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

(Please type or print)
(Do not write above this line)

State Well No. 405 \$ 25d

State Permit No. 196-30 A'6-8299 P. 7697

1) OWNER:	(10) LOCATION OF WELL:		
Tame TERRY VAN DEVER	County LAKE Driller's well number		
Address RT 6. BCX 580	N 4 SE 4 Section 25 T. HOS, R. 18E, W.M.		
LAKEVIEW, OREGON 97630	Bearing and distance from section or subdivision corner		
(2) TYPE OF WORK (check):			
New Well 🗌 Deepening 🕱 Reconditioning 🗍 Abandon 🗍			
f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.		
Rotary Driven Domestic Nindustrial Municipal	Static level /6 ft. below land surface. Date 5//5/78		
Cable	Artesian pressure lbs. per squar		
	Titestati pressure		
CASING INSTALLED: Threaded □ Welded □	(12) WELL LOG: Diameter of well below casing 12"		
" Diam. from ft. to ft. Gage	Depth drilled 892 ft. Depth of completed well 892 ft.		
"Diam. from	Formation: Describe color, texture, grain size and structure of materials;		
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratu with at least one entry for each change of forma		
PERFORATIONS: Perforated?   Yes No.	position of Static Water Level and indicate prin		
Type of perforator used	MATERIAL	From To	swL
Size of perforations in. by in.	STARTED PRILLING 690'		
perforations from ft. to ft.	GRAY CLAY	690 792	
perforations from ft. to ft.	BLACK SANDSTONE	792 824	
perforations from ft. to ft.	GREEN CLAY + BLACK SAND	824 872	,
(7) SCREENS: Well screen installed?   Yes No			
Manufacturer's Name			<del>                                     </del>
rype Model No.			
Diam. Slot size' Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? 🗌 Yes 💥 No If yes, by whom?			
Yield: gal./min. with ft. drawdown after hrs.			
PIR TEST "450 GPM FOR ONE has			<del>                                     </del>
" " "			_
Bailer test gal./min. with ft. drawdown after hrs.	, , , , , , , , , , , , , , , , , , , ,	<u> </u>	<del></del>
Artesian flow g.p.m.			-
perature of water Depth artesian flow encountered ft.	Work started MAY 9 19 78 Complete	d May 11	1978
	Date well drilling machine moved off of well	Mara	
(9) CONSTRUCTION:	Bate wen drining machine moved on or wen	MANA II	1978
Well seal—Material used UNCLISTURBED	Drilling Machine Operator's Certification:	#: <b>4</b>	
Well sealed from land surface to ft.	This well was constructed under my Materials used and information reported		
Diameter of well bore to bottom of sealin.	best knowledge and belief.		<b>5</b> 0.
Diameter of well bore below sealin.	[Signed] Zillian L. Durling Machine Operator)		
Number of sacks of cement used in well sealsacks How was cement grout placed?	Drilling Machine Operator's License No. 1042		
was content group placed:			
WESTER FOR	Water Well Contractor's Certification:		
The state of the s	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used?   Yes No Plugs Size: location ft.	Name William D. Williams		
Oid any strata contain unusable water? 🔲 Yes 💆 No	(Person, firm or corporation) (Type or print)		
Type of water? depth of strata	Address 3790 L. J. OAK Ad. Red	ned OR	47756
Method of sealing strata off	[Signed] William a William		
Was well gravel packed? [] Yes No Size of gravel:	(Water Well Contr	actor)	
Gravel placed fromfttoft	Contractor's License No. 665 Date	5-15	, 19.78