Amended 9/20/2022 WELL I.D. LABEL# L $_{16062}$ STATE OF OREGON **LAKE 53291** START CARD# WATER SUPPLY WELL REPORT 1057790 9/2/2022 ORIGINAL LOG# LAKE 50651 (as required by ORS 537.545 & 537.765 and OAR 690-205-0210) (1) LAND OWNER Owner Well I.D. First Name Last Name (9) LOCATION OF WELL (legal description) Company ED STAUB &SONS County LAKE Twp 28.00 S N/S Range 14.00 E E/W WM Address 1301 ESPLANADE Sec 22 NE 1/4 of the SW 1/4 Tax Lot 1100 City KLAMATH FALLS State OR Zip <u>9760</u>1 Tax Map Number " or 43.12726171 New Well Deepening (2) TYPE OF WORK Alteration (complete 2a & 10) Abandonment(complete 5a) or <u>-121.04729229</u> DMS or DD (2a) PRE-ALTERATION Street address of well Nearest address Gauge Stl Plstc Wld Thrd BEHIND SILVER LAKE STORE SLIVER LAKE OR 97638 Material From Amt sacks/lbs Seal: (10) STATIC WATER LEVEL (3) DRILL METHOD SWL(psi) SWL(ft) X Rotary Air Rotary Mud Cable Auger Cable Mud Existing Well / Pre-Alteration 8/1/2022 Reverse Rotary Other Completed Well 8/13/2022 Flowing Artesian? X Domestic Irrigation Dry Hole? (4) PROPOSED USE Livestock Dewatering Industrial/ Commericial WATER BEARING ZONES Depth water was first found Thermal Injection Other SWL Date To + SWL(ft) Est Flow SWL(psi) From (5) BORE HOLE CONSTRUCTION Special Standard (Attach copy) Depth of Completed Well 214.00 ft. BORE HOLE **SEAL** sacks/ Dia From From To Amt lbs 0 214 Calculated (11) WELL LOG Calculated Ground Elevation Method A How was seal placed: From То Material pre-existing formation 100 Other Backfill placed from ___ ___ ft. to _____ ft. Material_ Gravel and sand 125 green clay 136 Filter pack from _____ ft. to ____ ft. Material ____ gray clay 136 214 Explosives used: Yes Type____ Amount (5a) ABANDONMENT USING UNHYDRATED BENTONITE Actual Amount Proposed Amount (6) CASING/LINER Casing Liner From Gauge Plstc Wld Thrd Inside | Outside Other Location of shoe(s) Temp casing Yes Dia From + (7) PERFORATIONS/SCREENS Perforations Method Screens Type __ Material Date Started8/1/2022 Completed 8/13/2022 Perf/ Casing/ Screen Scrn/slot Slot # of (unbonded) Water Well Constructor Certification Screen Liner From length slots pipe size I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. License Number (8) WELL TESTS: Minimum testing time is 1 hour Signed O Flowing Artesian Air O Pump (Bailer (bonded) Water Well Constructor Certification Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well

ORIGINAL - WATER RESOURCES DEPARTMENT

License Number 1654

Signed TOM SEARCH (E-filed)

Contact Info (optional) Tom Search 541 576 2189

construction standards. This report is true to the best of my knowledge and belief.

Date 9/2/2022

°F Lab analysis Yes By_

Water quality concerns? Yes (describe below) TDS amount 296
Prom To Description Amount

Temperature 54

LAKE 53291

WELL I.D. LABEL# L 16062

continuation page		START CARD#	1057790	
• 0	9/2/2022	ORIGINAL LOG #	LAKE 5065	1
(2a) PRE-ALTERATION	Water Quali	ity Concerns		
Dia + From To Gauge Stl Plstc Wld Thrd		Co Description	Amount	Units
Material From To Amt sacks/lbs				
Tion To Tim Sucks/103				
	$ \overline{(10)}$ STATIO	C WATER LEVEL		
(5) BORE HOLE CONSTRUCTION	SWL Date		low SWL(psi) +	SWL(ft)
BORE HOLE SEAL sac Dia From To Material From To Amt It				
Dia From 10 Material From To Amt Ib	08			
Calculated	_		-	
Calculated	_			
Calculated				
Calculated				
FILTER PACK From To Material Size	(11) WELL	LOG		
		Material	From	То
6) CASING/LINER				
Casing Liner Dia + From To Gauge Stl Plstc Wld Thr	d			
	_			
	 			
	<u> </u>			
	<u> </u>			
]			
7) PERFORATIONS/SCREENS				
Perf/ Casing/ Screen Scrn/slot Slot # of Te	ele/			
	e size			
	Comments/	Remarks		
	Please note pr	re-alteration static water level 23 f	ft date 8/1/2022. ple	ase note
(8) WELL TESTS: Minimum testing time is 1 hour	well was drille	ed to 260 ft we lost pre-alteration s	static had to see cen	nent well
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	up to 214 ft to	get pre-alteration static back to 2	3 foot 5 yards cem	ent

LAKE 53291

9/2/2022

Map of Hole

STATE OF OREGON WELL LOCATION MAP

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 43.12726171 Datum: WGS84

Longitude: -121.04729229

Township/Range/Section/Quarter-Quarter Section:

This map is supplemental to the WATER SUPPLY WELL REPORT

WM28.00S14.00E22NESW

Address of Well:

BEHIND SILVER LAKE STORE SLIVER LAKE OR 97638

Well Label: 16062

Printed: September 2, 2022

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

