| STATE OF OREGON | LAKE | 54064 | WELL I.D. LAB | | | | | | | | |
|--|-----------------|---|---|-------------------|-----------------|--------------|--|--|--|--|--|
| WATER SUPPLY WELL REPORT | | | START CAI | | 8 | | | | | | |
| (as required by ORS 537.545 & 537.765 and OAR 690-205-0210) | 8/2/2 | 2025 | ORIGINAL LO | OG# | | | | | | | |
| (1) LAND OWNER Owner Well I D | | | | | | | | | | | |
| First Name Last Name | | (9) LOCAT | ION OF WELL (le | egal descrint | ion) | | | | | | |
| Company CRYSTAL CLEAR ENERGY LLC | | I . | Twp 39.00 S | | | E/W/W/A | | | | | |
| Address 345 SOUTH E STREET | | | | | | E/W WI | | | | | |
| City LAKE VIEW State OR Zip 97630 (2) TYPE OF WORK New Well Deepening O | | Sec <u>3</u> _ 5 | SE 1/4 of theNV | V 1/4 18 | 1X LOT 200 | | | | | | |
| (2) TYPE OF WORK New Well Deepening | Conversion | Tax Map Number | er" or <u>42.21</u> | Lo |)t | DMG DD | | | | | |
| Alteration (complete 2a & 10) Abandonme | nt(complete 5a) | Lat | or 42.21 or -120. eet address of well | 804148 | | DMS or DD | | | | | |
| (2a) PRE-ALTERATION | | Long | or <u>-120.</u> | 34987910 | | DMS or DD | | | | | |
| Dia + From To Gauge Stl Plstc Wlo | d Thrd | Str | eet address of well | Nearest addr | ess | | | | | | |
| Casing: | | BE HIND 76 S | HALL STANTION LAI | KE VIEW OR 97 | 1630 | | | | | | |
| Material From To Amt sacks/lbs | | | | | | | | | | | |
| Seal: | | (10) CTATIO | | | | | | | | | |
| (3) DRILL METHOD | | (10) STATIC | C WATER LEVE | | (nsi) + S | W/I (ft) | | | | | |
| Rotary Air Rotary Mud Cable Auger Cable N | 1ud | Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration | | | | | | | | | |
| Reverse Rotary Other | - | Completed Well 7/15/2025 109 | | | | | | | | | |
| (4) PROPOSED USE Domestic Irrigation Comm | unity | F | Flowing Artesian | | | 107 | | | | | |
| | unity | | _ | | | 00 | | | | | |
| | | WATER BEARI | NG ZONES De | epth water was fi | | | | | | | |
| Thermal X Injection Other | | SWL Date | From To | Est Flow S' | WL(psi) + | SWL(ft) | | | | | |
| (5) BORE HOLE CONSTRUCTION Special Standard | (Attach copy) | 5/14/2025 | 165 185 | 5 | | 12 | | | | | |
| Depth of Completed Well 500.00 ft. | | 7/15/2025 | 375 410 | 500 | + | 109 | | | | | |
| BORE HOLE SEAL | sacks/ | | 3/3 410 | 300 | + | 109 | | | | | |
| Dia From To Material From To | | | | | + | | | | | | |
| 13 0 349 Cement 0 349 | 270 S | 1 - | | | | | | | | | |
| 8 349 500 Calculate | | | | | | | | | | | |
| | | (11) XXELL I | 00 | | | | | | | | |
| Calculate | ed | (11) WELL I | Ground E | levation 4958. | 00 FT | | | | | | |
| Seal placement method: A B C D E Other: | | | Material | | From | То | | | | | |
| Backfill placed from ft. to ft. Material | | top soil | 0 | 2 | | | | | | | |
| Filter pack from ft. to ft. Material | | Boulders brown | | | 2 | 12 | | | | | |
| Explosives used: Type Amount | | gray clay stone ha | 12 | 65 | | | | | | | |
| | | red clay stone hard | i | | 65 | 78 | | | | | |
| Seal Placement Begin Date 7/10/2025 Begin Time 09 | 00 | gray clay stone ha | rd | | 78 | 125 | | | | | |
| (5a) ABANDONMENT USING UNHYDRATED BENTO | ONITE | green clay stone h | ard | | 125 | 140 | | | | | |
| Proposed Amount Actual Amount | | red clay stone | | | 140 | 180 | | | | | |
| (6) CASING/LINER Mat | | gray clay stone ha | rd | | 180 | 295 | | | | | |
| wat. | Shoe | basalt | | | 295 | 350 | | | | | |
| C/L Dia + From To Gauge Type Wld Thrd | Shoe Location | green clay stone h | | | 350 | 375 | | | | | |
| C 8 X 1 349 0.250 ST X | | green clay stone b | roken | | 375 | 410 | | | | | |
| | | green clay stone | | | 410 | 500 | | | | | |
| | | | | | | | | | | | |
| | | | | | _ | | | | | | |
| | | | | | | | | | | | |
| m t Ver Die Erren D | | | | | | | | | | | |
| Temp casing Yes Dia From+ To | | | | | | | | | | | |
| (7) PERFORATIONS/SCREENS | | | | | | | | | | | |
| Perforations Method | | Construction | | | | | | | | | |
| Screens Type Material | " C TD 1 / | Begin Date 1/3 | 0/2025 Begin Time | 09 00 | End Date 7 | /15/2025 | | | | | |
| 6 | # of Tele/ | (unbonded) W | ater Well Constructor | Certification | | | | | | | |
| Screen Liner Dia From To width length | slots Pipe size | .1 ` ′ | e work I performed on | | n deepening | alteration o | | | | | |
| | | • | of this well is in con | | , 1 | | | | | | |
| | | | indards. Materials used | | | | | | | | |
| | | | nowledge and belief. | | | | | | | | |
| | | License Numbe | • | Date | | | | | | | |
| (O) VITEL I DECIDO NO. 1 1 1 1 1 1 1 1 1 | | Ereense i vanice | | | | | | | | | |
| (8) WELL TESTS: Minimum testing time is 1 hour | | Signed | | | | | | | | | |
| | Duration | | | | | | | | | | |
| Type of Test (gal/min) Drawdown Pump Depth | (hr) | (bonded) Water | r Well Constructor Ce | rtification | | | | | | | |
| Air 500 500 | 1 | I accept respon | sibility for the construc | tion, deepening, | alteration, or | abandonme | | | | | |
| | | work performed | on this well during the | construction date | es reported abo | ove. All wo | | | | | |
| | | performed duri | ng this time is in cor | npliance with C | Oregon water | supply we | | | | | |
| Temperature 180 °F Lab analysis Yes By | | construction star | ndards. This report is tr | ue to the best of | my knowledge | and belief. | | | | | |
| | 99 ppm | License Numbe | r 1654 | Date 8/1/20 | 125 | | | | | | |
| Water quality concerns? Yes (describe below) TDS amount 3 From To Description Amo | ount Units | | 1034 | | 143 | | | | | | |
| | | Signed TOM | SEARCH (E-filed) | | | | | | | | |
| | | | ny: Tom Search541 5 | 76 2189 | | | | | | | |
| | | | | | | | | | | | |

Amended 10/8/2025

| WATER SUPPLY WELL REPORT - | | | | | |] | LAKE 54064 8/2/2025 | | | , | WELL I.D. LABEL# L 156682 | | | | | | | | | |
|----------------------------|-----------------|---|-------------------|----------|--------------|----------------------|------------------------|---------|---------|-----------|---------------------------|--------|------------|---------|--------------|--------------|-----------|---------|----------|---------|
| continuation page | | | | | | START CARD # 1076548 | | | | | _ | | | | | | | | | |
| | | | | | | | | | | 8/2 | | | *** | | RIGINAL | LOG# | | | | |
| | | LTERA | | | | G.I. DI. | **** | 1 701 1 | | | Wat Fron | | rality Co | oncer | | ription | | Amour | nt I | Jnits |
| Dia | _ + | From | То | Gaug | e | Stl Plst | ic Wld | l Thrd | | | | | 10 | | Desc | прион | - | Imour | | |
| | $\dashv \vdash$ | | | | _ | \rightarrow | $A \vdash$ | Н | | | | | | | | | | | | |
| | $\dashv \vdash$ | | | | - | \rightarrow | ЯH | П | | | | | | | | | | | | |
| N | — ∟ Material | | Froi | m T | ' | Amt sac | ks/lbs | | | | | | | - | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | (10) | STA' | TIC W | ATE | R LEVE | | | | | |
| | | | | | | | | | | | | L Date | | om | To | Est Flov | v SWL | (psi) | + 5 | SWL(ft) |
| | | OLE C | ONST | ruct | ION | | | | | | | | | | | | | | | . , |
| | BORE I | | | | | SE | AL | | | sacks/ | | | | | | | | | \perp | |
| Dia | Fron | n To | | Materia | ıl | Fro | m | To | Amt | lbs | | | | | | | | | \vdash | |
| | | | | | | | | | | | | | | | | | | | + | |
| | | | | | | 1 | Calc | culated | | | | | | | | | | | | |
| | | | \dashv \vdash | | | | Calc | culated | | | | | | | | | + | | \vdash | |
| | | | | | | | | | | | | | | | | | | | + | |
| | | | \dashv \vdash | | | _ | Cal | culated | l | \perp | | | | | | | | | \vdash | |
| | | | \dashv \vdash | | | | Calo | culated | 1 | | ${(11)}$ | WEI | L LOC | j | | | | | | |
| | FIL | TER PAC | `K | | | | | | | | | | | Mate | erial | | | Froi | n | To |
| | From | То | | Materia | ıl | Si | ze | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| (6) CA | SING | /LINEI | ₹ | | | | | | | | l — | | | | | | | | | |
| | | | | | | Mat. | | | | Shoe | | | | | | | | | | |
| C/L | Dia | + Fro | om _ | To C | Gauge | Туре | Wld | Thrd | Shoe L | ocation | | | | | | | | | | |
| \square | | \perp | | | | | Ш | Щ | | | | | | | | | | | | |
| - | | | | | | - | Н | H | | | | | | | | | | | | |
| H | | | | | | 1 | H | H | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| <u> </u> | | | | | | | Ш | Ш | | | | | | | | | | | | |
| H | | + | | | | | Н | H | | | | | | | | | | | | |
| H | | | | | | | H | H | | | | | | | | | | | | |
| | | | | | | | ш | ш. | | | 1 | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| (7) PE | RFOE | RATIO | NS/SC | REENS | S | | | | | | | | | | | | | | | |
| Perf/ | Casing | / Screen | | | | Scrn/slot | Slo | ot : | # of | Tele/ | | | | | | | | | | |
| | Liner | Dia | Fron | n To | | width | leng | | slots F | Pipe size | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | - | | \dashv | | + | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | \Box | <u> </u> | | | | | Name | of ner | rson(s) wh | 10 assi | sted with co | nstruction a | nd Traine | ee Lice | nse # | / Helne |
| | | | | | | | - | | | | | - | Assistant | | | | уре | | | # |
| | | + | | | | [JOD | Y SUI | | | | ELPER WAT | | | 88 | 88996 | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | — | | | | | | | | - | |
| (0) 11 | /Trit T | TESTS | . ъл: | m 4 | ng 4: | a time e | a 1 L | 017.5 | | | \vdash | | | | | | | | + | |
| IOI V | / P/ / P | | . wiini | THEFT IS | CSLIDE | e mine | is i n | | | | | | | | | | | | | |

Comments/Remarks

Drill Stem/
Drawdown Pump Depth

Duration

(hr)

Yield (gal/min)

Type of Test

LAKE 54064

8/2/2025

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 42.21804148 Datum: WGS84

Longitude: -120.34987910

Township/Range/Section/Quarter-Quarter Section:

WM39.00S20.00E3SENW

Address of Well:

BE HIND 76 SHALL STANTION LAKE VIEW OR 97630

Well Label: 156682

Printed: August 1, 2025

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

