TICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the WATER WELL REPORT: WATER WELL REPORT: STATE OF OREGON STATE OF OREGON				
WATER RESOURCES DEPARTMENT. SALEM, OREGON 97310 within 30 days from the date (Please type or print) UN 1 7 1982 State Permit No. 6-9651				
of well completion.				
SALEM, OREGON.				
Pullanda mall mumban				
Name / / / Ser & Corline Current	10 00	R. //	ϵ	W.M.
Address 8 10 of Faces Upon de 9 2702				
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner Ohe, Centur of 160 Acres			
New Well	<u> </u>			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	146			
Peters Driver D	Depth at which water was first found	/-		ft.
Cable Jetted Domestic Industrial Municipal	Static level 2 4 ft. below land surface. Date			
Dug Bored Irrigation Test Well Other	Artesian pressure #5 lbs. per square inch. Date			
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing 14			
14 " Diam. from 6 ft. to 4/ ft. Gage 35	Depth drilled 1/55 ft. Depth of completed well 1/55 ft.			
ft. Gageft.				
	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,			
PERFORATIONS: Perforated? [] Yes No.	with at least one entry for each change of forma position of Static Water Level and indicate printing			
100000000000000000000000000000000000000	MATERIAL	From	то	SWL
Type of perforator used	T-1-5-11	710111	7	
Size of perforations in. by in.	DUATA MAC COUS EARTH	7	35	
perforations fromft. toft.	Of an Blue	35	800	
perforations fromft. toft.	Clay BROWN)	800	1084	
perforations from ft. to ft.	ROCK GREV HARD	1084	1129	
(7) SCREENS: Well screen installed? Yes No	CINDERS RED	1129	1139	
Manufacturer's Name	ROCK LARGE RED	1139	1155	24
Type Model No.	= BOULDER.		•	·
Diam. Slot size Set from ft. to ft.				
Diam, Slot size Set from ft. to ft.		 -		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level -		 		
Was a pump test made? Yes \(\sigma\) No If yes, by whom? Rule				
7 - Farras				
Yield: /350 gal./min. with 66 ft. drawdown after 3 hrs.				
<i>II</i>		ļ		
Bailer test gal./min. with ft. drawdown after hrs.		.		
Artesian flow g.p.m.				
perature of water 5 Aepth artesian flow encountered ft.	Work started 4 -7 1982 Complet	ed 5	-28	1982
(9) CONSTRUCTION:	Date well drilling machine moved off of well 6 - 16 19 2			
Well seal—Material used	Drilling Machine Operator's Certification:	:		
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my			
Diameter of well bore to bottom of sealin.	best knowledge and belief.			
Diameter of well bore below seal in.	[Signed] Waltook Baut	Date 6	110	1982
Number of sacks of cement used in well seal sacks	Drilling Machine Operator) Drilling Machine Operator's License No. 936			
How was cement grout placed?	Drining Machine Operator's License No.			
The state of the s	Water Well Contractor's Certification:			
	This well was drilled under my jurisdiction and this report is			
Was a drive shoe used? Yes No Plugs Size: location ft.	true to the best of my knowledge and belief.			
Did any strata contain unusable water? Yes No	Name WALTER K BAEK! (Person, firm or corporation) (Type or print)			
Type of water? depth of strata	Address 15936 Green For		LAP	ine U1.
Method of sealing strata off	11) Stay & But			
Was well gravel packed? ☐ Yes No Size of gravel:	[Signed] (Water Well Cont	ractor)		**********
	Contractor's License No. 671 Date			1082
Gravel placed from ft. to ft.	Contractor's Educate No. Cy.Z Date	. j 5 5	************	, 1917