WATER WELL REPORT STATE OF OREGON



RECEIVED

AUG 27 1981

State Well No. 175

NOWATER RESOURCES DEPT Permit No. SALEM. OREGON

(1) OWNER:	(10) LOCATION OF WELL:	
Name DAVE KETCHERSIDE	County LANE Driller's well number	
Address 287/6 Bowne High RD	4 4 Section 3/ T. /75 R.	94 h/ W.M.
City Funeral 97402 State Occopy	Tax Lot # 460 Lot Blk	Subdivision
(2) TYPE OF WORK (check):	Address at well location:	
* *		
Tien Heines	(11) WATER LEVEL: Completed well.	
If abandonment, describe material and procedure in Item 12.	Depth at which water was first found	53 / ft.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level /8 ft. below land s	surface. Date B/24/E
Rotary Air Driven Domestic Industrial Municipal	Artesian pressure lbs. per sq	uare inch. Date
Rotary Mud Dug Irrigation Test Well Other Cable Bored Thermal: Withdrawal Reinjection	(12) WELL LOG: Diameter of well below casis	ng 6
	Depth drilled S. ft. Depth of com	
CASING INSTALLED: Steel Plastic Untracted Welded Untracted Welded	Formation: Describe color, texture, grain size and structur thickness and nature of each stratum and aquifer penetrate	re of materials; and show ed, with at least one entry
6"Diam.from 1 ft. to 2 9 ft. Gauge 2570	for each change of formation. Report each change in posit	ion of Static Water Level
	and indicate principal water-bearing strata.	
LINER INSTALLED: NO	MATERIAL F	rom To SWL
"Diam. from	TOPSOIL	0 2
(6) PERFORATIONS: Perforated? Yes No Type of perforator used	Benew Clay 7	23
Size of perforations in. by in.		3 3
perforations fromft. toft.	BLUE GRAY SANDSTONE 2	3 85
perforations from		
perforations from		
(7) SCREENS: Well screen installed? Yes No		
Manufacturer's Name		
Type	•	
Diam. Slot Size Set from ft. to ft.	- ma)	
Diam. Slot SizeSet fromft. toft. Drawdown is amount water level is lowered	MAIN WATER 65-75	
(8) WELL TESTS: below static level		
Was a pump test made?		
was a pump test made: 1 res 1 row in yes, by whom: gal/min. with ft. drawdown after hrs.		
WELL OUTAUT MAY FLUCTUATE "		
Air test 30 gal/min. with drill stem at 85 ft. / hrs.		
Bailer test gal/min. with ft. drawdown after hrs.	· · · · ·	
Artesian flow g.p.m.		
Depth artesian flow encountered ft.	Work started 8/24 198/ Completed	8/24 198/
	Date well drilling machine moved off of well 8/24/196/	
(9) CONSTRUCTION: Special standards: Yes \(\text{No.} \) Well seal—Material used	Drilling Machine Operator's Certification:	
Well sealed from land surface to 28 ft.	This well was constructed under my direct supervision. Materials used	
Diameter of well bore to bottom of sealin.	and information reported above are true to my best knowledge and belief.	
Diameter of well bore below seal	[Signed] Drilling Machine Operator) Date 425, 19.84	
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No. 612	
How was cement grout placed?	Diffing Machine Operator's Interise 130.	
	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction and this report is true to	
Was pump installed? NO Type HP Depth ft.	the best of my/knowledge and belief.	
Was a drive shoe used? Yes No Plugs Size: location ft.	Name (Person, firm or corporation) (Type or print)	
Did any strata contain unusable water? Yes No	Address 33/32 Galega AN BD	
Type of Water? depth of strata	Chisto Sem	
Method of sealing strata off	[Signed] Water Well Contractor	
Was well gravel packed? ☐ Yes WNo Size of gravel:	Contractor's License No	
Gravel placed from	636	