NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

WATER WELL REPORT

310
JUL 16 1968 (Benot write above this line)

STATE ENGINEER, SALEM, OREGINEER, 97310 within 30 days from the date of well completion.

State Permit No.

DIAIL ENGINEER	G-462
(1) OWNER: SALEM. OREGON	(11) LOCATION OF WELL:
Name Mckenzie 5 and + Gravel	County Fan C Driller's well number
Address 3600 County FARM DD.	1/2 1/2 Section S T. 17 SR. 3 W W.M.
EUGENK , OREGON	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	Dearing and amounted from between or babary morning
New Well Deepening Reconditioning Abandon	on 🗆
If abandonment, describe material and procedure in Item 12.	
(3) TYPE OF WELL: (4) PROPOSED USE (check	ck): (12) WELL LOG: Diameter of well below casing
Rotary Driven Domestic Industrial Municipal Domestic Industrial Municipal Domestic Industrial Industrial Domestic Industrial In	ripal Depth drilled 75 ft. Depth of completed well 77 ft.
Dug	Formation: Describe color, texture, grain size and structure of materials;
CASING INSTALLED: Threaded Welded	and show thickness and nature of each stratum and aquifer penetrated,
Diam. from 6 h ft. to 73 ft. Gage . 2	with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.
	MATERIAL From To SWL
" Diam. fromft. toft. Gage	Sord + grave
PERFORATIONS: Perforated? Yes PNo.	COX Brad court 4218
Type of perforator used Will 5	waterst 15'
Size of perforations 44 in. by 1 in.	
3.00 perforations from 18 tt. to 2.7	sand 4 gravel H2
perforations from ft. to	# SO 9 PNI AT (A) 13 19'
perforations from ft. to	
perforations from ft. to	ft.
perforations from ft. to	th. Sond Orace 1 10
(7) SCREENS: Well screen installed? ☐ Yes ☐ No	Cloy/ 63 70
Manufacturer's Name	
Type Model No	Sand 9 grave 70 75 20
Diam Slot size Set from ft. to	ft.
Diam Slot size Set from ft. to	t.
(8) WATER LEVEL: Completed well.	
Static level 2 5 ft. below land surface Date 6/2	2// 28
esian pressure lbs. per square inch Date	
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Yes No If yes, by whom?	
eld: 180 gal./min. with 40 ft. drawdown after 4	hrs. Work started 9 19 6 completed 1965
"	" Date well drilling machine moved off of well 196
n . n n	" Drilling Machine Operator's Certification:
Bailer test gal./min. with ft. drawdown after	hrs. This well was constructed under my direct supervision. Materials used and information reported above are true to my best
Artesian flow g.p.m. Date	knowledge and belief
Temperature of water Was a chemical analysis made? [] Yes	
(10) CONSTRUCTION:	(Drilling Machine Operator)
Well seal—Material used CCom CuT	Drilling Machine Operator's License No.
Depth of seal	ft. Water Well Contractor's Certification:
Diameter of well bore to bottom of sealin.	This well was drilled under my jurisdiction and this report is
Were any loose strata cemented off? Yes No Depth	true to the best of my knowledge and belief.
Was a drive shoe used? ☐ Yes ☐ No	NAME (Person, firm or corporation) (Type or print)
Did any strata contain unusable water? Yes No	2320 MAN Same
Type of water? depth of strata	Address DOUNTA TOPRINGLIE
Method of sealing strata off	[Signed] Walled
Was well gravel packed? Yes No Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 268 Date 6/25, 1960