

NOTICE TO WATER WELL CONTRACTOR
 The original and first copy
 of this report are to be
 filed with the
 STATE ENGINEER, SALEM, OREGON 97310
 within 30 days from the date
 of well completion.

WATER WELL REPORT

STATE OF OREGON
 (Please type or print)

RECEIVED

State Well No. 17/3W-18

STATE ENGINEER
 SALEM OREGON

State Permit No. LANE 11225

(1) OWNER:

Name Eugene Sand & Gravel - Inc.
 Address Eugene, Oregon

(2) LOCATION OF WELL:

County Lane Driller's well number
 1/4 Section 18 T. 17 S. R. 3 W. W.M.
 Bearing and distance from section or subdivision corner
 Tax Lot Number 1100

(3) TYPE OF WORK (check):

Well Deepening Reconditioning Abandon
 If abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic Industrial Municipal
 Irrigation Test Well Other

(5) TYPE OF WELL:

Rotary Driven
 Cable Jetted
 Dug Bored

(6) CASING INSTALLED:

16" Diam. from 1 ft. to 36 ft. Gage 1/4" wall
 " Diam. from ft. to ft. Gage
 " Diam. from ft. to ft. Gage

(7) PERFORATIONS:

Perforated? Yes No
 Type of perforator used Cutting torch - Gas
 Size of perforations 1/4" by 1/4" by 1/4" cut
 perforations from 20 ft. to 34 ft.
 perforations from ft. to ft.
 perforations from ft. to ft.
 perforations from ft. to ft.
 perforations from ft. to ft.

(8) SCREENS:

Well screen installed? Yes No
 Manufacturer's Name
 Model No.
 Diam. Slot size Set from ft. to ft.
 Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Bentonite
 Depth of seal 18 ft. Was a packer used? NO
 Diameter of well bore to bottom of seal 24 in.
 Were any loose strata cemented off? Yes No Depth
 Was a drive shoe used? Yes No
 Was well gravel packed? Yes No Size of gravel:
 Gravel placed from ft. to ft.
 Did any strata contain unusable water? Yes No
 Type of water? depth of strata
 Method of sealing strata off

(10) WATER LEVELS:

Static level 8 1/2 ft. below land surface Date Jan 22-67
 Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No - If yes, by whom? Rammy Watten
 Yield: 1200 gal./min. with 11 1/2 ft. drawdown after 24 hrs.
 " " " "
 " " " "
 Baller test No gal./min. with ft. drawdown after hrs.
 Artesian flow g.p.m. Date
 Temperature of water Was a chemical analysis made? Yes No

(12) WELL LOG:

Diameter of well below casing 16" inch
 Depth drilled 40 ft. Depth of completed well 96 ft.
 Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Sand - Small Gravel	1'	10'
Sand	10	75
Pea Gravel	15	18
Cemented Gravel	18	20
Pea Gravel & Gravel	20	28
Coarse Gravel	37	38
Cemented Gravel	35	40

RECEIVED

STATE ENGINEER
 SALEM OREGON

Work started Jan 6 1967 Completed Feb. 3 1967
 Date well drilling machine moved off of well Feb 3 1967

(13) PUMP:

Manufacturer's Name
 Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME C. G. Gardiner & Son
 (Person, firm or corporation) (Type or print)

Address 1941 N. A. Y. S. St. Eugene, Oregon

Drilling Machine Operator's License No. 265

[Signed] C. G. Gardiner
 (Water Well Contractor)

Contractor's License No. 295 Date Feb. 6, 1967