NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the
STATE ENGINEER, SALEM 10, OREGON
within 30 days from the date
of well completion.

STATE OF OREGON (Please type or print)

State Well No.

(1) OWNER: Name Art Gutherie	(11) WELL TESTS: Drawdown is amount water level is lowered below static level was a pump test made? Yes No If yes, by whom?	
Address 3910 River Rd.	Yield: gal./min. with ft. drawdown a	fter hrs.
Eugene, Oregon	22 22 21	"
(O) TOCAMION ON THE	" " "	23
(2) LOCATION OF WELL:	Bailer test 390 gal./min. with 12 ft. drawdown as	fter hrs.
County Lane Driller's well number	Artesian flow g.p.m. Date	
½ ½ Section 2 T. 17 R. 4 W.M.	Temperature of water Was a chemical analysis made	? ☐ Yes ☐ No
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below casing	811
· · ·	Diameter of Well Below Cashing	********************
	Depth drilled 37 ft. Depth of completed well	37 ft.
	Formation: Describe by color, character, size of material and show thickness of aquifiers and the kind and nature of the r stratum penetrated, with at least one entry for each chang	I structure, and naterial in each e of formation.
	MATERIAL FR	OM TO
(3) TYPE OF WORK (check):	Top Soil) 5
New Well Deepening □ Reconditioning □ Abandon □		5 10
abandonment, describe material and procedure in Item 12.	Sand & Clay 10	
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Gravel & Sand with Water 22	
Domestic Mainting Municipal Rotary Driven		
Irrigation		
(6) CASING INSTALLED: Threaded Welded Welded 7 Diam from 0 ft. to 37 ft. Gage STD.		
B		
ft. Gageft.		
(7) PERFORATIONS: Perforated? Yes No		
(7) PERFORATIONS: Perforated?		
Size of perforations in. by in.		
perforations fromft. toft.		
perforations fromft, toft		
perforations from		-
perforations fromft. toft.	- Article - Arti	
perforations fromft. toft.		-
	4.5	
(8) SCREENS: Well screen installed? ☐ Yes ☐ No		
Manufacturer's Name		
Type Model No		_
m Slot size Set from ft. to ft.	Work started 10/28 19 63 Completed 11/1	3 1963
Blam. Slot size Set from ft. to ft.	Date well drilling machine moved off of well 11/1	
(9) CONSTRUCTION: Well seal—Material used in seal Bentonite	(13) PUMP:	
27	Manufacturer's Name	-
_	Type: H.P.	
Diameter of well bore to bottom of sealin.	YEAR YEAR OLD A COLUMN AND A CO	
Were any loose strata cemented off? Tyes No Depth	Water Well Contractor's Certification:	
Was a drive shoe used? ★ Yes □ No Was well gravel packed? □ Yes □ No Size of gravel:	This well was drilled under my jurisdiction and true to the best of my knowledge and belief.	this report is
Gravel placed from ft. to ft.	NAME CARTEDIS DRILLING & DIND ACOUTOR	
Did any strata contain unusable water? Yes No	NAME CARTER S DRILLING & PUMP SERVICE (Person, firm or corporation) (Type or print)	
Type of water? Depth of strata	Address 325 South 2nd St. Springfield, Oregon	
Method of sealing strata off	Drilling Machine Organics License No. 148	
(10) WATER LEVELS:	geral s incense ito.	
Static level 9 ft. below land surface Date	[Signed] (Water Well Contractor)	<u> </u>
Artesian pressure lbs. per square inch Date	Contractor's License No. 126 Date 11/15	10 63