File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

STATE ENGINEER WELL REPORT

State Well No. 1744-3R
State Permit No ANE 1113

(1) OWNER: Name Albert Voge.	(11) WELL TESTS: Drawdown is amount water level is lowered below static level  Was a pump test made? Yes   No If yes, by whom?
Address Rt / Box 464	Yield: 60 gal./min. with /2 ft. drawdown after /3 hrs.
Eugene, Oregon	" 75 " 17 " K "
(2) LOCATION OF WELL:	" " "
County Lane Owner's number, if any-	Bailer test gal./min. with ft. drawdown after hrs.
14 14 Section T. R. W.M.	Artesian flow g.p.m. Date
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made?   Yes No
ONE hundred TWENTY FEET SO, OF NO	(12) WELL LOG: Diameter of well inches.
Property Line - ONe hundred	Depth drilled 393 ft. Depth of completed well 393 ft.
SIXTY FEET WEST OF EAST Prop	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each
TYLINE	show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
/	MATERIAL FROM TO
(3) TYPE OF WORK (check):	Dirt clay etc 0 11
New Well À Deepening □ Reconditioning □ Abandon □	Sand & gravel 11 17
undonment, describe material and procedure in Item 11.	Soud & gravel (fairly Compact) 17 21
	Sand sanavelllooser form. 21 29
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Compact Sand + gravel 29 33
Domestic 🛣 Industrial 🗆 Municipal 🖂 Rotary 🔲 Driven 🖂	Secsel Unter bearing Sanda 33 393
Irrigation M Test Well □ Other □ Dug □ Bored □	arevel
	gar a vest
(6) CASING INSTALLED: Threaded Welded	Bottom of hole 395
GOD' Diam. from ft. to ft. Gage 188	1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2
"Diam. from ft. to ft. Gage	<u> </u>
(7) DEDECDATIONS.	
(7) PERFORATIONS: Perforated? ☐ Yes X No Type of perforator used	
SIZE of perforations in. by in.	
perforations from ft. to ft.	
perforations fromft. toft.	
perforations fromft. toft.	
perforations fromft, toft,	
perforations fromft. toft.	
(8) SCREENS: Well screen installed Yes No	
Manufacturer's Name	
Type Model No	
Slot size Set from ft. to ft.	
Diam Slot size Set from ft. to ft.	Work started 6-2/ 1960. Completed 6-23 1960
(9) CONSTRUCTION:	(10) DYTER
Was well gravel packed?   Yes M No Size of gravel:	(13) PUMP:
Gravel placed fromft. toft.	Manufacturer's Name
Was a surface seal provided? W Yes D No To what depth 33 ft.	Type: H.P.
Material used in seal—Mild drillings etc	Well Driller's Statement:
Did any strata contain unusable water?   Yes X'No	This well was drilled under my jurisdiction and this report is
Type of water? Depth of strata	true to the best of my knowledge and belief.
Method of sealing strata off	NAME Wayne Haves Well Drilling
// A TWA MENT I TIVING	(Person, firm, for corporation) (Type or print)
(10) WATER LEVELS:	Address 535 Coburged Eugene
Static level 6 ft. below land surface Date 6-23-60	and the state of t
Artesian pressure lbs. per square inch Date	Driller's well number
Log Accepted by; // /	Warran Warran
	[Signed] (Well priller)
[Signed] (11144 1992 Date 6 - 23, 19/60	License No. Date 6-23 1960
()	