ORIGINAL File Original, and Duplifate with the STATE ENGINEER, SALEM, OREGON

LLERS REPORT

	19 WATER WELL		
STATE	ENGINEERTATE	OF OREGON	

Do Not	State	Well No	17/3	W-	33 A	r CL)	
DOLLO	Blate	** CII 1**			-	1 0	00	7
Fill In	State	Permit	No.	A	ne	1.5	<u>0</u> ∠	J
F 111 111	State	Permiț	No			<u> </u>	<u> </u>	U

(1) OWNER: SALEM, OREGON	(10) WELL TESTS:				
Name Lane Memorial Gardens	Was a pump test made?				
Address Rt. 5, Eugene, Oregon	Yield: gal./min. with ft. draw down after hrs.				
(2) LOCATION OF WELL:	Artesian flow				
County Lane Owner's number, if any— R. F. D. or Street No. Rt. 5. Eugene	Bailer test 50 g.p.m. with no ft. drawdown				
IV. I. D. Of Datect 110.	Bailer test g.p.m. with y.p.m. Y.p.m. with Y.p.m. Y.p				
Bearing and distance from section or subdivision corner	Was electric log made of well? \(\text{Yes} \) \(\text{Yes} \)				
The second secon	(11) WELL LOG:				
(9) MYDE OF WORK (sheets).	Diameter of well, 8 inches. Total depth 150 ft. Depth of completed well 150 ft.				
(3) TYPE OF WORK (check): Now well To Deepening To Reconditioning To Abandon To	Total depth (i)() It. Depth of completed wen				
New well Deepening Reconditioning Abandon Deepening Reconditioning Abandon Deepening Reconditioning Recondition	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.				
(F) TOTTOMENIO.					
(4) PROPOSED USE (CHUCK).	Cara de trans				
Domestic ☐ Industrial ☐ Municipal ☐ Rotary ☐ Cable 🔀	O Cowing				
Irrigation Test Well Other Dug Well					
	material Condatons				
CASING INSTALLED: If gravel packed	70 " 150 " Blue gray Sandstone				
Inreaded I Welded M	11 11				
Gage Diameter from to					
FROM Oft. to 72 ft8" Diam.Std. Wall of Bore ft. it.					
" " " " " " " " " " " " " " " " " " "	First water was found at 85 ft.				
n n n n n n n n n n n n n n n n n n n	Additional water was found at				
n n n n n n n n n	106 ft. and beyond.				
11 11 12 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	15 17 17 17 17 17 17 17 17 17 17 17 17 17				
,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	11 11				
Type and bize of mice of the same of the s	11 11				
Describe joint	77 79				
(7) PERFORATIONS:	n n				
be of perforator used None used	n n				
SIZE of perforations in., length, by in.					
FROM ft. to ft. perf per foot No. of rows	The second secon				
n n n n n n n n	11 The second se				
n n n n n n n n n n	23 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20				
n n n n n n n	<u>,, , , , , , , , , , , , , , , , , , ,</u>				
n n n n n n n n n	n n				
SCREENS:					
SCREENS: Give Manufacturer's Name, Model No. and Size None	n n				
The second of th	" " " " " " " " " " " " " " " " " " "				
CONCERNICATON.	22 22				
CONSTRUCTION: Was a surface sanitary seal provided? ✓ Yes ✓ No To what depth 72 ft	t. "				
Was a surface sanitary seal provided M res M No 10 what deput (A. W.	Ground elevation at wen site				
Were any strata sealed against pollution? The Yes In No If yes, note depth of strata	Work started April 25 1953 Completed June 8 1953				
FROM ft. to ft.	Well Driller's Statement:				
n n n n n n n n n n n n n n n n n n n	This well was drilled under my jurisdiction and this report is				
METHOD OF SEALING Casing driven into bedrock	true to the best of my knowledge and belief.				
	NAME Wayne Haves Well Drilling				
(9) WATER LEVELS: 85 from the state of the	(Person, firm, or corporation) (Typed or printed)				
Depth at which water was mist found	Address 535 Coburg Road, Eugene, Oregon				
Standing level before perforating	None				
Standing level after perforating Not perforates	man a day a				
Log Accepted by:	[Signed] Weil Driller O				
[Signed] Dated, 19	License No. 97 Dated Dated 19.55				
[Signed] Owner	1 LICOLDO ATO.				