NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON within 30 days from the date of AUG 9 1965

State Well No. 17/5 w - 13
State Permit No. 17/5 w - 13

of well completion.	
(1) OWNER: STATE ENGINEER	(11) WELL TESTS: Drawdown is amount water level is lowered below static level
Name Paul Jones SALEM OREGON	Was a pump test made? ☑ Yes ☐ No If yes, by whom?
Address Rt. 1 Box 1012	Yield: 78 gal./min. with 63 ft. drawdown after 5 hrs.
Eugene, Oregon	" " "
(2) LOCATION OF WELL:	" " "
	Bailer test gal./min, with ft. drawdown after hrs.
County Lane Driller's well number 34 Section 13 T. 175 R. 5W W.M.	Artesian flow g.p.m. Date
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made? ☐ Yes 🕅 No
positing and distance from because of banday strong corner	(12) WELL LOG: Diameter of well below casing
7.10.00	Depth drilled 84 ft. Depth of completed well 84 ft.
	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
	MATERIAL FROM TO
(3) TYPE OF WORK (check):	
New Well [v Deepening ☐ Reconditioning ☐ Abandon ☐	Jaile of Alexer
andonment, describe material and procedure in Item 12.	Tial C Solling View
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Clay & gravel
Potent Ci Driven C	Sandstone 75 80
Domestic Industrial Municipal Cable Jetted	Hard candstone 80 83
Irrigation Test Well Other Dug Bored	Sand & gravel 83 84
(6) CASING INSTALLED: Threaded Welded [8]	424.0
0	
ft. to	
(7) PERFORATIONS: Perforated? ⋈ Yes ⋈ \ No	
Type of perforator used torch	
Size of perforations in. by 12 in. 60 perforations from 18 ft. to 50 ft.	
perforations from	
perforations from ft. to ft.	
perforations fromft. toft.	
(0) CODERNO	
(8) SCREENS: Well screen installed? ☐ Yes ₺ No	
Manufacturer's Name	
Model No	7/10/65
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.	Work started 7/8/65 19 Completed 7/13/65 19
	Date well drilling machine moved off of well $7/14/65$ 19
(9) CONSTRUCTION:	(13) PUMP:
Well seal—Material used in seal Puddled clay & cement	Manufacturer's Name
Depth of sealft. Was a packer used?	Type: H.P.
Diameter of well bore to bottom of sealin.	W. day W. N. Cardon day A. Cardon day
Were any loose strata cemented off? \square Yes \nwarrow No Depth	Water Well Contractor's Certification:
Was a drive shoe used? ★ Yes No	This well was drilled under my jurisdiction and this report is
Was well gravel packed? ☐ Yes 🖾 No Size of gravel:	true to the best of my knowledge and belief.
Gravel placed from ft. to ft.	NAMECasey_ Jones Well Drilling Co. (Person, firm or corporation) (Type or print)
Did any strata contain unusable water? Yes You No	
Type of water? depth of strata	Address Rt. 2 Box 695 Creswell, Oregon
Method of sealing strata off	Drilling Machine Operator's License No. 155
(10) WATER LEVELS:	1 D. Ola 4 1 O.
Static level 15 ft. below land surface Date 7/13/65	[Signed] (Water Well Contractor)
Artesian pressure lbs. per square inch Date	Contractor's License No. 103 Date 7/23/65 19